
Specifications

# Eaton 286759



## Catalog Number: 286759

Eaton xEnergy Basic LV systems Low voltage switchgear. Mounting plate + front plate for HxW=500x400mm, NZM3, vertical

### General specifications

| | |
|---|---|
| **Product Name** | **Catalog Number** |
| Eaton xEnergy Basic mounting kit | 286759 |
| **EAN** | **Product Length/Depth** |
| 4015082867591 | 70 mm |
| **Product Height** | **Product Width** |
| 505 mm | 325 mm |
| **Product Weight** | **Compliances** |
| 3.4 kg | RoHS conform |

Powering Business Worldwide

## Product specifications

### Used with

NZM3

### Type

Additional equipment

### Features

Perforated

### Surface finishing

With powder coating

### Color

Light gray (RAL 7035)

### Suitable for width

400 mm

### Surface protection

Galvanized

### Material

Sheet steel

Steel

### Mounting position

Horizontal

Vertical

### Housing material

Sheet steel

### Mounting method

Surface mounting

Floor standing distribution board

### Suitable for

Single mounting

### Functions

Additional equipment

## Resources

### Brochures

eaton-xenergy-basic-light-brochure-br014024-en-us.pdf

### Catalogs

eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf

### Declarations of conformity

DA-DC-03_NZM3

### Sales notes

eaton-f3a-flange-flyer-fl019005en-en-us.pdf




Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia