Specifications

Eaton 187862



Catalog Number: 187862

Eaton xEnergy Basic LV systems Low voltage switchgear. Flange plate, IP66, metal, 2xM50/M40 + 2xM40/M32 + 9xM20

General specifications

Product Name
Eaton xEnergy Basic installation component

Catalog Number
187862

EAN
4015081855476

Product Length/Depth
5 mm

Product Height
140 mm

Product Width
230 mm

Product Weight
0.54 kg

Compliances
RoHS conform

Powering Business Worldwide

Product specifications

Features
Pre-stamping

Number of connector holes
13

Suitable for nominal thread (PG) - max
50

Suitable for nominal thread (PG) - min
20

Degree of protection
Other

Surface protection
Powder coating

Shape
Straight

Material
Steel

Model
Cable screw gland

Thread type
Metric

Thickness
2 mm

Suitable for cable diameter - max
0 mm

Suitable for cable diameter - min
0 mm

Resources

Brochures
eaton-xenergy-basic-light-brochure-br014024-en-us.pdf

Catalogs
eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf

Sales notes
eaton-f3a-flange-flyer-fl019005en-en-us.pdf



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia