Specifications

Eaton 271522

Catalog Number: 271522

Eaton xEnergy Safety Ci LV systems LV switchgear. Insulated enclosure, box size HxWxD=250x187.5x175mm, for NZM size 2, TVD



General specifications

Product Name
Eaton xEnergy Safety Ci MCCB enclosure

Catalog Number
271522

EAN
4015082715229

Product Length/Depth
175 mm

Product Height
250 mm

Product Width
187.5 mm

Product Weight
2.614 kg

Compliances
IEC
RoHS conform

Powering Business Worldwide

Product specifications

Used with

NZM1, PN1, N(S)1

xEnergy Safety Ci

Special features

With door coupling rotary handle Complete with all required functional parts

Type

xEnergy Safety Ci

Fitted with:

Transparent cover

Standard, black/gray

Frame

NZM1

Enclosure

CI23-150

Accessory/spare part type

Others

Degree of protection

IP65

Other

Enclosure material

Plastic

Rated uninterrupted current (Iu) at max. cross section

63 A

Terminal for retrofitting of 5th conductor (neutral conductor)

K50/1

Locking facility

Lockable on the 0 position on the handle using up to 3 padlocks.

Additionally with cover interlock.

Model

Surface mounting

Number of poles

Three-pole

Resources

Brochures

eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf

eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf

Catalogs

eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf

Declarations of conformity

DA-DC-03_NZM1

Drawings

eaton-circuit-breaker-enclosure-xenergy-safety-ci-lv-systems-dimensions-003.eps

mCAD model

DA-CD-nzm1_xci23_tvdvr

DA-CS-nzm1_xci23_tvdvr



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia