Rittal – The System.

Faster – better – everywhere.

# Drawer 482.6 mm (19") to accommodate surplus cables – DK 7063.200

Date : Apr 26, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# Drawer 482.6 mm (19") to accommodate surplus cables – DK 7063.200

created: 26.04.2021 build on www.rittal.com/uk-en



## Product description

| | |
|---|---|
| **Description:** | The 1 U drawer offers a convenient opportunity for storing surplus cables in an organised, compact and secure way within the 482.6 mm (19") levels. |
| **Benefits:** | With brush strip at the front for cable entry<br>T-head rail in the rear section for cable clamping<br>Ring-shaped kink-free routing of the conductors on adjustable elements in the interior |
| **Applications:** | May be fitted between two 482.6 mm (19") levels<br>For mounting on L-shaped mounting angles, cranked mounting angles or mounting frames |
| **Material:** | Sheet steel |
| **Colour:** | RAL 7035 |
| **Supply includes:** | Drawer<br>Telescopic slides<br>Assembly parts |

## Product description

| | |
|---|---|
| **Distance between levels:** | min.: 435 mm<br>max.: 750 mm |
| **Units:** | 1 U |
| **Packs of:** | 1 pc(s). |

Â© Rittal 2021

| | |
|---|---|
| **Weight/pack:** | 6.17 kg |
| **Copper weight (kg per piece):** | 0 |
| **EAN:** | 4028177551176 |
| **Customs tariff number:** | 94039010 |
| **ETIM 7.0:** | EC002620 |
| **ETIM 6.0:** | EC002620 |
| **eCl@ss 8.0/8.1:** | 27189261 |
| **eCl@ss 6.0/6.1:** | 27400604 |
| **Product description:** | DK Drawer 482.6 mm (19"), To accommodate surplus cables, 1 U, distance between levels: 435-750 mm |

## Approvals

| | |
|---|---|
| **Certificates:** | NA |