Specifications

Eaton 106427



Catalog Number: 106427

Eaton xEnergy Basic LV systems Low voltage switchgear. Glass door, for HxW=2060x400mm, left, white

General specifications

Product Name	**Catalog Number**
Eaton xEnergy Basic door	106427
EAN	**Product Length/Depth**
4015081061976	45 mm
Product Height	**Product Width**
2010 mm	415 mm
Product Weight	**Compliances**
12.75 kg	RoHS conform

Powering Business Worldwide

Product specifications

Special features

Protective cover mounted on left

Type

Additional equipment

Features

Version as glazed door

EMC-version

Surface finishing

With powder coating

Powder coating

Color

White

Traffic white (RAL 9016)

Degree of protection

IP30

NEMA Other

Suitable for height

2060 mm

Suitable for width

1000 mm

Cover/door color

Transparent

Cover/door type

Three-point turn-lock

Material

Sheet steel/glass

Steel

Housing material

Sheet steel/glass

Model

Stop door

Mounting method

Floor standing distribution board

Functions

Additional equipment

Resources

Brochures

eaton-xenergy-basic-light-brochure-br014024-en-us.pdf

Catalogs

eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf

Sales notes

eaton-f3a-flange-flyer-fl019005en-en-us.pdf



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia