Specifications

Eaton 24FDIHA20



Catalog Number: 24FDIHA20

Fuse-link, medium voltage, 20 A, AC 22 kV, 51 x 565 mm, full-range, BS, with striker

General specifications

Product Name
Eaton Bussmann series medium voltage BS air fuse

Catalog Number
24FDIHA20

EAN
5027590468916

Product Length/Depth
590 mm

Product Height
50.8 mm

Product Width
50.8 mm

Product Weight
2588.333 g

Certifications
BS 2692-1

Powering Business Worldwide

Product specifications

Used with

A3354710 Fuse clip

Type

fuse

Application

protection of primary side transformers
used in fuse switch combination units, fuse bases and fuse switches

Amperage Rating

20 A

Fuse size

50.8 x 565 mm

Breaking capacity

35.5 kA

Installation technique

Air

Performance Cat According To IEC 60282-1

Full-range

Product application

Primary side transformer protection

Rated frequency - max

50 Hz

Rated frequency - min

50 Hz

Release characteristic

Other

Standard

British Standard

Utilization category

Other

Voltage type

AC

With striker

Yes

Resources

Class

Class full-range

Fuse shape

Cylindrical

Pre arc (I2T)

1.3 x 103

Resistance

88.2 ohms

Fuse diameter

51 mm

Interrupt rating

35.5 kAIC

Construction size

51 x 565 mm

Mounting method

Clip-in

Voltage rating

24 kV

Fuse type

FDIH

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia