Multi Battery LED Hybrid Work Light 6050 MH, 6200lm, IP65



Technical data

Product number:	1173140600
EAN:	4007123676620
Luminous flux:	6,200 lm
Power consumption:	61.6 W
Luminous efficacy:	101 lm/W

Energy efficiency class:	E
Colour temperature:	6,500 K
Colour rendering index CRI:	82
Min.-Max. Nominal input voltage:	100V - 240V
Lifetime:	30,000 h
Cable length:	5 m
Cable designation:	H07RN-F 2X1,0
Battery voltage:	18 V
With socket outlet:	No
Impact strength:	IK08
Protection class:	II
Degree of protection (IP):	IP65
Colour:	black

Product texts

Maximum flexibility. Full compatibility with leading battery technologies.

* Compatible with various 18V batteries (different Ah classes) of the 7 power tool manufacturers: Bosch Professional, Dewalt, Festool, Flex, Makita, Metabo CAS and Milwaukee.
* Working spotlight including interfaces adapters for 5 manufacturers (Bosch Professional, Dewalt, Makita, Metabo CAS, Milwaukee).
* brennenstuhl® is part of AMPShare - Powered by Bosch Professional: The AMPShare battery alliance enables the use of Brennenstuhl work lamps with the 18V rechargeable batteries from Bosch Professional.
* More flexibility through hybrid technology: battery and mains operation possible, automatic switchover from mains to battery in case of power failure.
* Hybrid working spotlight with plug-in cable connection, 5m detachable cable H07RN-F2X1.0.
* Switch with function: 100% - 75% - 50% - 25% light.
* Light duration depending on the battery used, approx. 20min / 1 Ah at 100% light output.
* Battery status indicator for the remaining energy of the battery used, the batteries are to be charged externally.
* Protection system for Powertool batteries: The batteries used are protected against deep discharge and overheating (caused by high load currents).
* Removable battery protection cover.
* LED spotlight with anti-tilt protection, protects lens and housing of the spotlight.
* Die-cast aluminum housing.
* Rubber coating to protect the housing.
* Ergonomic handle.
* With on/off switch.
* Tripod mounting possible.
* Category 2 (K2) operating equipment: Use for rough operation with high mechanical, physical and chemical effects.

Scope of supply

Multi Battery LED Hybrid Work Light 6050 MH, 4 interface adapters, bag, 5m detachable cable H07RN-F2X1.0