

4-Port USB KVM Switch Kit

TK-407K (v1.3R)

The 4-Port USB KVM Switch Kit lets you manage four PCs with just one set of keyboard, monitor, and mouse. Switch between 4 PCs with a simple press of a button! Separate sets of KVM cables are included with the KVM Switch, so users can start controlling 4 PCs instantly. The KVM cables also provide power to the KVM Switch, eliminating the need for a power adapter. Hot Key operations provide immediate access to features such as computer switching, and auto-scanning. With its Hot-Plug, and Audible Feedback, the 4-Port USB KVM Switch is the perfect choice for managing multiple PCs.

PRODUCT OVERVIEW

- 4-Port KVM switch with VGA and USB connections to computers
- Device monitoring with Auto-Scan and audible feedback
- High quality 2048 x 1536 resolution for a crisp display
- Supports most operating systems and advanced mouse designs
- All required cabling included

FEATURES

- Control up to 4 computers / servers with one set of console devices
- USB keyboard / mouse emulation with 4 sets of detachable KVM cables
- Compliant with Windows, Linux, and Mac OS
- High video quality, up to 2048 x 1536 VGA resolution
- Auto-Scan and LED display for computer monitoring
- Keyboard status restored when switching between computers
- Computer selection by front panel push buttons, keyboard hot key commands or Windows-based client switching software*
- User definable hot key (Windows only)
- Plug & Play and hot-pluggable
- USB interface power method
- 2-year limited warranty

* Please go to http:/www.trendnet.com/downloads to download the client switching software

4-Port USB KVM Switch Kit

TK-407K (v1.3R)

SPECIFICATIONS

HARDWARE		
Connections	• 4 computers	
USB Interface	• USB 1.1 compliant	
KVM Cable	• 2 sets of 1.2m (4ft.) USB KVM cables • 2 sets of 1.8m (6ft.) USB KVM cables	
Cable Interface (all male)	**To KVM**	**To Computer**
	• 1 x VGA / SVGA HDB 15-pin	• 1 x USB (Type A) • 1 x VGA / SVGA HDB 15-Pin
PC Port Connectors	• 4 x VGA / SVGA HDB 15-pin (female)	
Console Port Connectors	• 2 x USB keyboard / mouse (type A) • 1 x VGA / SVGA 15-pin HDB (female)	
Computer Selection	• Face panel push buttons, keyboard hot key commands or Windows-based client switching software*	
Supported OS	• Windows, Linux and Mac.	
Auto-Scan Interval	• 10 seconds	
Keyboard Status	• Save and restore	
Power Type	• USB interface power	
Dimensions	• 167 x 80 x 28 mm (6.6 x 3.2x 1.1 in.)	
Weight	• 159 g (5.6 oz.)	
Temperature	• Operating: 0°C ~ 40°C (32°F ~104°F) • Storage: -20°C ~ 60°C (-4°F ~140°F)	
Humidity	• Max 90% (non-condensing)	
Certifications	• CE, FCC	

4-Port USB KVM Switch Kit

TK-407K (v1.3R)

NETWORKING SOLUTIONS



PACKAGE CONTENTS

- TK-407
- Quick Installation Guide
- 4 sets of USB KVM Cables (2 x 1.2 m / 4 ft., 2 x 1.8 m / 6 ft.)

RELATED PRODUCTS

TK-207K	2-Port USB KVM Switch Kit
TK-408K	4-Port PS/2 KVM Switch Kit with Audio
TK-409K	4-Port USB KVM Switch Kit with Audio

CONTACT INFORMATION

TRENDnet

20675 Manhattan Place,Torrance, CA 90501 USA
Tel: 1-310-961-5500
Fax: 1-310-961-5511
Web: www.trendnet.com
Email: sales@trendnet.com
1-888-326-6061

TRENDnet is a registered trademark. Other Brands and product names are trademarks of their respective holders. Information provided in this document pertain to TRENDnet products and is subject to change at any time, without notice. For the most recent product information please visit http://www.trendnet.com Copyright ©TRENDnet.All Rights Reserved.