Specifications

Eaton 106377



Catalog Number: 106377

Eaton xEnergy Basic LV systems Low voltage switchgear. Metal door, for HxW=2060x600mm, left

General specifications

Product Name
Eaton xEnergy Basic LV systems Low voltage switchgear

Catalog Number
106377

EAN
4015081061471

Product Length/Depth
45 mm

Product Height
2010 mm

Product Width
615 mm

Product Weight
10.6 kg

Compliances
RoHS conform

Powering Business Worldwide

Product specifications

Used with

Accessory
Service distribution board IVS
Accessory consideration
Floor-standing enclosure

Special features

can be used as right door for two-leaf versions
order together with standard door for 600 mm
Closed
Two doors
Mounting from front, fast mounting, hinges on left or right possible
Door opening angle 167°
3-point turn lock with roller lever lock
Protective cover mounted on left

Type

Additional equipment for floor-standing service distribution board IVS

Features

EMC-version

Accessory/spare part type

Doors

Surface finishing

Powder coating
With powder coating

Color

Light gray (RAL 7035)
Gray

Degree of protection

IP30
NEMA Other

Unit type

Modular system

Suitable for height

2060 mm

Resources

Brochures

eaton-xenergy-basic-light-brochure-br014024-en-us.pdf

Catalogs

eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf

Sales notes

eaton-f3a-flange-flyer-fl019005en-en-us.pdf

Suitable for width

1200 mm

Cover/door type

Three-point turn-lock

Material

Steel

Sheet steel

Housing material

Sheet steel

Model

Stop door

Mounting method

Floor standing distribution board

Flush mounting

Surface mounting

Functions

Floor-standing enclosure

Additional equipment

Powering Business Worldwide

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia