Specifications

# Eaton LP-CC-7

## Catalog Number: LP-CC-7

Eaton Bussmann Series Class CC fuse, LP-CC, time-delay, dual-element current limiting fuse, 7 A, rejection style fuse, interrupting rating of 20 kA at 150 Vdc and 200 kA at 600 Vac




### General specifications

**Product Name**
Eaton Bussmann series LP-CC fuse

**Catalog Number**
LP-CC-7

**UPC**
051712180528

**EAN**
5027590446907

**Product Length/Depth**
0.41 in

**Product Height**
1.5 in

**Product Width**
0.41 in

**Product Weight**
0.15 lb

**Warranty**
Not Applicable

**Compliances**
CE Marked
RoHS Compliant

**Certifications**
UL Listed
CSA Certified

Powering Business Worldwide

## Product specifications

### Type

Current-limiting time-delay fuse

### Special features

Rejection style

### Application

Specialized circuits and industrial control

### Amperage Rating

7 A

### Number of elements

Dual

### Class

Class CC

### Interrupt rating

20 kAIC at 150 Vdc

200 kAIC at 600 Vac

### Fuse indicator

Non-indicating

### Connection

Ferrule end x ferrule end

### Response time

12 sec at 200%

### Material

Melamine tube

### Packaging type

Standard

### Quantity

10

### Voltage rating

600 Vac, 150 Vdc

## Resources

### Catalogs

Low Voltage Branch Circuit Fuse Chapter

Bussmann Full Line Catalog

### Multimedia

Bussmann series Fuseology

### Specifications and datasheets

LP-CC Spec Sheet




Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia