Rittal – The System.

Faster – better – everywhere.

OM supports without contact system – SV 9340.260

Date : Oct 26, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

OM supports without contact system – SV 9340.260

created: 26.10.2021 on www.rittal.com/com-en



Product description

Description:	For mounting of switchgear with external power supply.
Material:	Polyamide Fire protection corresponding to UL 94-V0
Colour:	Chassis: RAL 7035

Product description

To fit busbars:	with cross-section height: 5 mm with cross-section height: 10 mm
Number of poles:	3-pole
For bar systems with centre-to-centre spacing:	60 mm
Dimensions:	Width: 45 mm Height: 208 mm
Support frame:	Width: 45 mm Height: 170 mm
PinBlock:	yes
Packs of:	1 pc(s).
Weight/pack:	0.22 kg

Copper weight (kg per piece):	0
EAN:	4028177504363
Customs tariff number:	85369095
ETIM 7.0:	EC001166
ETIM 6.0:	EC001166
eCl@ss 8.0/8.1:	27400607
eCl@ss 6.0/6.1:	27400607
Product description:	SV OM Support, WH: 45x208 mm, support frame, PinBlock, without contact system

Approvals

Approvals:	ABS C-UL DNV-GL Lloyds Register of Shipping UL + C-UL
Certificates:	EAC
Declarations:	Declaration of conformity