PRODUCT-DETAILS

UPS PowerValue 11LI Up 1500 VA

UPS PowerValue 11LI Up 1500 VA



General Information

Extended Product Type	UPS PowerValue 11LI Up 1500 VA
Product ID	4NWP100173R0001
EAN	7640169262630
Catalog Description	UPS PowerValue 11LI Up 1500 VA
Long Description	VI UPS PowerValue 11LI Up 1500VA/900W;230V;50/60Hz;simulated sinewave;4 min

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	4NWD004620
RoHS Information	4NWD004317
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	c4c92015-4bfc-4971-85b7-c47760a1fe7b Switzerland
Simplified SCIP	a9653123-1dcd-4394-927d-7d74b5ccecf8 Germany 7ba2fbbc-98ae-4f8a-b2f4-d738f796d2b0 Estonia 580edc03-9c26-4d99-b329-41acf38d2d9d Greece f443f5ef-c5a5-4d1b-8657-8dcebb408a7c Portugal 20e42b59-d201-460d-afaf-122bdb2feb41 Bulgaria 690a2342-4ebe-4b24-9f29-9f1c30be480d Sweden

© 2025 ABB. All rights reserved.

35f8b6f3-689e-46a0-9de4-68d3424dfe54 France
caed7a7c-d54d-4e1e-9c16-75a2c43c2972 Sweden
373bec92-2fd8-48be-9834-3c71fe4014d4 Poland
7d6f88c2-d2ba-4897-9307-c11e6f8fe96e Germany
8cd648c1-c725-4db3-b240-734991e9fa03 Germany
a859e988-fe9c-4605-9bee-2eeb7b30ee78 France
4903e804-d01f-4e18-b1bd-e42937611761 Netherlands
ad1bafa8-3f8f-46ba-9f6d-a0890c79307f Spain
4b94a620-1d9c-47dd-be8a-9311bd63fea4 Netherlands
95260678-5f19-465f-957b-12d3deb82315 Germany
fbacc13f-cb51-4665-896d-a3a0c3dfb74b Denmark
a1607da1-6b21-493d-8d51-415147d63244 Poland
7344addb-bbb6-41a2-8b96-3039178d7df2 Norway
5f90a988-9654-4b38-83da-51283b024c93 Finland
2c2f8250-fb44-4a2c-ba08-f50104f7147c Netherlands
4684002b-325a-414d-83c2-0dd974301d89 Germany
5fbd6f99-a1f5-47f3-ac90-2b4f628d501f Croatia
3da30851-29cb-4ca6-8b02-7c2cc16f6460 Czech Republic
a690df28-7ace-43bc-b638-2236677d738a Poland
240cc719-0bd5-4b6a-9820-8b07a4edd4de Netherlands
ed600d36-6e08-46e4-b439-6e543e4f7843 Netherlands

Popular Downloads

Data Sheet, Technical Information	4NWD004445_ML
Instructions and Manuals	4NWD004445_ML

Environmental

Ambient Air Temperature	Storage -15…+60 °C
Environmental Information	No declaration needed

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85044000
E-Number (Norway)	6600715
Country or Territory of Origin	China

Dimensions

Product Net Width	145 mm
Product Net Height	190 mm
Product Net Depth / Length	335 mm
Product Net Weight	9.8 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	228 mm
Package Level 1 Height	287 mm
Package Level 1 Depth / Length	410 mm
Package Level 1 Gross Weight	12 kg
Package Level 1 EAN	7640169262630

© 2025 ABB. All rights reserved.

Technical

Apparent Power Output	1500 V·A
Battery Chemical Composition	Lead-Acid
Battery Type	Portable
Battery Weight	2.5 kg
Communication Interface	USB, RS-232
Connection Type	IEC C14
Display Type	LCD
Input Voltage (U_{in})	230 V
Input Voltage Type	AC
Number of Batteries	2
Number of Outputs	C13 Connection 6
Number of Phases	1-phase Primary 1-phase Secondary
Options Provided	Auto shut down function
Rated Frequency (f)	Primary 50 Hz Primary 60 Hz Secondary 50 Hz Secondary 60 Hz
Rated Output Power	900 W

Certificates and Declarations

Declaration of Conformity - CCC	No certification needed
Declaration of Conformity - CE	4NWD004317

External Classifications and Standards

ETIM 9	EC000382 - UPS
ETIM 10	EC000382 - UPS
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85044000
eClass	V11.1 : 27040690
Object Classification Code	G

Categories

UPS, Power Conditioning and Power Distribution → UPS → Single-Phase UPS → PowerValue 11 LI IEC 230V

© 2025 ABB. All rights reserved.



© 2025 ABB. All rights reserved.