Specifications

Eaton 106420



Catalog Number: 106420

Eaton xEnergy Basic LV systems Low voltage switchgear. Metal door, for HxW=1760x600mm, left, white

General specifications

Product Name
Eaton xEnergy Basic LV systems Low voltage switchgear

Catalog Number
106420

EAN
4015081061907

Product Length/Depth
45 mm

Product Height
1710 mm

Product Width
615 mm

Product Weight
9.1 kg

Compliances
RoHS conform

Powering Business Worldwide

Product specifications

Special features

can be used as right door for two-leaf versions
order together with standard door for 600 mm
Closed
Two doors
Mounting from front, fast mounting, hinges on left or right possible
Door opening angle 167°
3-point turn lock with roller lever lock
Protective cover mounted on left

Type

Additional equipment for floor-standing service distribution board
IVS

Features

EMC-version

Accessory/spare part type

Doors

Surface finishing

With powder coating
Powder coating

Color

White
Traffic white (RAL 9016)

Degree of protection

IP30
NEMA Other

Unit type

Modular system

Suitable for height

1760 mm

Suitable for width

1200 mm

Cover/door type

Three-point turn-lock

Resources

Brochures

eaton-xenergy-basic-light-brochure-br014024-en-us.pdf

Catalogs

eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf

Sales notes

eaton-f3a-flange-flyer-fl019005en-en-us.pdf

Material

Sheet steel

Steel

Housing material

Sheet steel

Model

Stop door

Mounting method

Floor standing distribution board

Surface mounting

Flush mounting

Functions

Floor-standing enclosure

Additional equipment

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia