PRODUCT-DETAILS

S800-BBIC

S800-BBIC Busbar Isolation Cap



General Information

Extended Product Type	S800-BBIC
Product ID	2CCS800900R0081
EAN	7612271208967
Catalog Description	S800-BBIC Busbar Isolation Cap
Long Description	The S800-BBIC are protecting caps for free terminal lugs at the busbar S803-BB250.

Technical

Standards	IEC 60439-2
Suitable For	S800-BB
Tightening Torque	3.5 N·m
Accessory Type	Other
Housing Material	Insulation group I
Recommended Screw Driver	Pozidriv 2
Terminal Type	Screw Terminals

© 2024 ABB. All rights reserved.

Material Compliance

RoHS Information	9AKK107680A3903
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20190320
REACH Declaration	9AKK108469A6125
REACH Information	No data - If REACH inform is not yet available for a certain product
REACH Date	20190320
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air Temperature	Operation -25 ... +60 °C Storage -40 ... +70 °C
Degree of Protection	acc. to IEC 60529 IP20
Environmental Information	2CCY413207D0203

Dimensions

Product Net Width	8 mm
Product Net Height	95 mm
Product Net Depth / Length	3 mm
Product Net Weight	20 g
Dimension Diagram	2CCC413003C0201

Ordering

Package Level 1 Units	bag 12 piece
Package Level 1 Gross Weight	260 g
E-Number (Finland)	3212462

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed

Installation

Instructions and Manuals	9AKK106930A3418

Popular Downloads

Data Sheet, Technical Information	2CCC413003C0208

© 2024 ABB. All rights reserved.

Classifications

ETIM 8	EC002270 - Accessories/spare parts for busbars
ETIM 9	EC002270 - Accessories/spare parts for busbars
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85389030
eClass	V11.0 : 27141192
Object Classification Code	F

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → High Performance Circuit Breakers HPCBs → High Performance Circuit Breakers HPCBs Accessories



© 2024 ABB. All rights reserved.