Rittal – The System.

Faster – better – everywhere.

Earthquake base/plinth for VX, TS – TS 8601.860

Date : Apr 26, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Earthquake base/plinth for VX, TS – TS 8601.860

created: 26.04.2021 build on www.rittal.com/uk-en



Product description

Description:	For stable attachment of the earthquake-resistant enclosure to the subsurface. External metric M6 thread for a stable connection to the subsurface from the outside.
Material:	Corner pieces: Sheet steel 5 mm Trim panels: Sheet steel 2 mm
Surface finish:	Powder-coated
Colour:	RAL 7022
Supply includes:	Base/plinth, fully assembled 4 corner pieces 2 depth stays 1 trim panel front/rear
Note:	Meets earthquake zone 4 to Telcordia GR-63-Core in conjunction with a comfort handle and an earthquake kit.
To fit Model No.:	8806.000 8806.500
Basic material:	Sheet steel

Product description

To fit:	Enclosure type: VX Enclosure type: TS Width: = 800 mm Depth: = 600 mm

Dimensions:	Height: 100 mm
Packs of:	1 pc(s).
Weight/pack:	15.9 kg
EAN:	4028177413597
Customs tariff number:	94039010
ETIM 7.0:	EC000721
ETIM 6.0:	EC000721
eCl@ss 8.0/8.1:	27182003
eCl@ss 6.0/6.1:	27182003
Product description:	TS Earthquake base/plinth for TS, H: 100 mm, for WD: 800x600 mm

Approvals

Certificates:	NA