Specifications

Eaton 138268



Catalog Number: 138268

Eaton xEnergy Light LV systems LV switchgear. Busbar support, outside, universal, KSX

General specifications

Product Name
Eaton xEnergy Light LV systems LV switchgear

Catalog Number
138268

EAN
4015081350483

Product Length/Depth
300 mm

Product Height
300 mm

Product Width
30 mm

Product Weight
4.58 kg

Compliances
RoHS conform

Powering Business Worldwide

Product specifications

Used with

30 x 10 mm
Double T profile
Triple T profile
KSX-System
Distribution board feeder system

Special features

For outdoor use in xEnergy type-tested power distribution systems and XVTL distribution panel
Including fixing bracket, fixing screws and supports for covers

Type

Distribution board feeder system
KSX-System

Current rating - max

3200 A

Busbar distance

0 mm

Number of poles

Four-pole

Functions

Busbar support
KSX busbar support external, universal

Impulse withstand current

110 kA

Rated operation current (Ie)

3200 A

Suitable for

Four-pole
Three-pole

Resources

Catalogs

eaton-pdd-xenergy-light-catalog-ca014022en-en-us.pdf

eaton-xenergy-light-add-on-distribution-board-product-catalog-2017-en-us.pdf

Drawings

eaton-control-panels-xenergy-light-busbar-support-3d-drawing.eps



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia