

PRODUCT NUMBER: 1031740

Honeywell Turboshield Headgear

The Headgear for the Honeywell Turboshield pace protection system features patent-pending suspension cushioning and patented visor push button latch release mechanism.

Honeywell

Overview

Reference Number
1031740

Product Type
Eye and Face Protection

Range
Face Shields

Brand
Honeywell

Industry

- Automotive and Part Manufacturer
- Building and Construction
- Chemical Industries
- Food Industries
- Foundry
- General Industry
- Glass Industries
- Industrial Cleaning
- Iron and steel industry
- Laboratory
- Maintenance
- Medical and Pharmaceutical
- Metal steel
- Offshore
- Petro-chemical
- Ship Building

Product Use
The Honeywell Turboshield is perfect for workers exposed to falling or flying objects, impact, splash, UV and airborne debris. It can also be comfortably worn with most goggles, respirators and earmuffs.

Features & Benefits

Feature
Flexible head-cushioning suspension cradle provides 300% greater contact area than traditional suspensions to eliminate pressyre points for all-day wear.

Benefit
Superior Comfort!

Feature
Simple push-button release system allows for easy visor exchange in seconds

Benefit
Easy and Quick Visor Exchange

Feature

© Honeywell International Inc.

Control knobs are large and ergonimically designed for easy adjustment - even while wearing gloves.

Benefit
Personalized, comfortable fit.

Feature
Breathable, removable, washable headband

Benefit
Better Hygiene

Feature
Smooth-pivoting action with positive stops in raised and lowered position

Benefit
Easier to use and to raise and lower on the job without struggling wtih lift and lower.

Technical Description

Eyewear Type
Visor

Shade Lens Color
Available Visors for use with the Turboshield headgear are available in Clear, Gray, Shade 3.0 and Shade 5.0 Visor Shade Options. Also can be used with the Supervisor range of visors and various shade tints.

Lens Coating
Avaialble visors for use with the Turboshield headgear are available in Coated and Uncoated options.

Frame Color
Dark Gray shell material

Frame Material
Browguard Material is an ABS material while the Suspension material is Nylon 66

Frame Size
Overall Size is 279 mm x 225 mm x 135 mm Browguard dimensions are 178 mm x 225 mm x 109 mm

Dielectric
Yes

Certifications

EU Category PPE
2

EU Certification
C1519.6HON

Certifications

- EN 166

REACH

EU Regulation 1907/2006 (REACH) Compliance The substance(s) listed below may be contained in this product above the threshold level of 0.1% by weight of the listed article.	
Product Reference Sold in Europe	**Substance > 0.1%**
Substance Name	**CAS Number**
No Substance Content	

© Honeywell International Inc.

Literature & Documents

DOC3505_EYEW_DEP6_TurboShield_GB_c
http://www.honeywellsafety.com/supplementary/documents_and_downloads/4294984735/1033.aspx

Packaging

EAN Code
7312550317402

UPC Code/Box
17312550317409

Packaging Specs Individual Box
1 per polybag

Unit of Measure
each

Country of Origin
China

© Honeywell International Inc.

© Honeywell International Inc.