Specifications

Eaton 264914

Catalog Number: 264914

Eaton Distribution parts. Phase busbar, 3-phases+2N, 16qmm, pin, 1m



General specifications

Product Name	**Catalog Number**
Eaton Distribution parts	264914
EAN	**Product Length/Depth**
4015082649142	29.5 mm
Product Height	**Product Width**
24 mm	1020 mm
Product Weight	**Compliances**
0.729 kg	RoHS conform

Powering Business Worldwide

Product specifications

Features

Insulated

Can be cut to size

Electric connection type

Pin

Rated surge voltage

0 KV

Rated uninterrupted current (Iu)

63 A

Suitable for number of devices

56

Number of poles

Two-pole

Color

Other

Rated short-time withstand current (Icw)

0 kA

Cross section

16 mm²

Number of modular spacings

2

Number of phases

3

Pitch dimensions

17.95 mm

Rated operational voltage (Ue) - max

415 V

Rated conditional short-circuit current (Iq)

25 kA

Suitable for

Devices with N-busbar

56 devices

Resources

Declarations of conformity

DA-DC-03_Z-SV

DA-DC-03_Z-S

DA-DC-03_Z-S_SC_SB

Drawings

eaton-3d-drawing-versch-z-sv.jpg

eaton-wiring-diagram-z-sv.jpg

mCAD model

eaton-264914-3d-model.stp

eaton-264914-drawing.dwg



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia