Specifications

Eaton 292429



Catalog Number: 292429

Eaton xEnergy Basic LV systems Low voltage switchgear. Cable entry / flange plate for W=600mm, closed, white

General specifications

Product Name	**Catalog Number**
Eaton xEnergy Basic other accessory	292429
EAN	**Product Length/Depth**
4015082924294	175 mm
Product Height	**Product Width**
20 mm	545 mm
Product Weight	**Compliances**
0.95 kg	RoHS conform

Powering Business Worldwide

Product specifications

Used with

Accessory consideration
Service distribution board IVS
Accessory
Wall-mounting distribution system

Special features

Blind plate Equipment supplied: cable entry/flange plate, mounting accessories

Type

Accessory Service distribution board IVS Wall-mounting distribution system

Accessory/spare part type

Cable entries
Flange plates
Other
Accessory

Surface finishing

With powder coating

Cable entry type

Blind

Color

Traffic white (RAL 9016)

Degree of protection

IP30

Unit type

Modular system

Suitable for width

600 mm

Material

Sheet steel

Mounting method

Surface mounting

Functions

Additional equipment

Resources

Brochures

eaton-xenergy-basic-light-brochure-br014024-en-us.pdf

Catalogs

eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf

Declarations of conformity

DA-DC-03_xEnergy_Basic_BP

Sales notes

eaton-f3a-flange-flyer-fl019005en-en-us.pdf



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia