Specifications

Eaton 058247



Catalog Number: 058247

Eaton xEnergy Safety Ci LV systems LV switchgear. Busbar support, for CI enclosure 250mm, hxD=20x5(10, 15)mm

General specifications

Product Name
Eaton xEnergy Safety Ci busbar enclosure accessory

Catalog Number
058247

EAN
4015080582472

Product Length/Depth
15 mm

Product Height
100 mm

Product Width
250 mm

Product Weight
0.14 kg

Compliances
RoHS conform

Powering Business Worldwide

Product specifications

Used with

CI43…
L1, L2, L3, PE, N: 20 x 15
CI45…
L1, L2, L3, PE, N: 20 x 5
CI23…
L1, L2, L3: 20 x 10; PE, N, PEN: 20 x 5
Prepared enclosures
Accessory for busbar enclosures
xEnergy Safety Ci

Special features

Component mounting possible on busbar
Interval between busbar supports max. 375 mm

Type

Accessory for busbar enclosures
Prepared enclosures
xEnergy Safety Ci

Accessory/spare part type

Busbar support

Current rating - max

630 A

Busbar distance

50 mm

Number of poles

Five-pole

Distance between busbar centers

50 mm

Functions

For use between two enclosures
Prepared enclosure

Rated operation current (Ie)

630 A
250 A
400 A

Suitable for

Resources

Brochures

eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf

eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf

Catalogs

eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf

Installation instructions

IL0753

System overview

eaton-insulated-boards-busbar-xenergy-safety-ci-busbar-support-explosion-drawing-002.eps

Use between two enclosures

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia