Specifications

Eaton FNQ-3

Catalog Number: FNQ-3

Eaton Bussmann series FNQ fuse, Time-delay, Motor control transformers, Circuits with in-rush currents, 3 A, Non-indicating, Ferrule end x ferrule end, 10 kAIC at 500 Vac, Nickel-plated bronze endcap, Standard, 500 V



General specifications

Product Name	**Catalog Number**
Eaton Bussmann series FNQ fuse	FNQ-3
UPC	**EAN**
051712786270	5027590060516
Product Length/Depth	**Product Height**
0.41 in	1.5 in
Product Width	**Product Weight**
0.41 in	0.175 lb
Warranty	**Compliances**
Not Applicable	CE Marked RoHS Compliant

Powering Business Worldwide

Electrical rating

Amperage Rating

3 A

Interrupt rating

10 kAIC at 500 Vac

Voltage rating

500 V

Physical details

Material

Nickel-plated bronze endcap

Packaging type

Standard

General information

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Special features

Non-indicating

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - FNQ-3

Technical data sheets

FNQ-3~BUSS MIDGET FUSE

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia