

# COBAwash®

## A real asset in floor protection for domestic and commercial use

- Easy to clean, practical and machine washable.
- Easy care, smaller sizes* can be washed in a domestic washing machine. (All sizes can be washed in an industrial washing machine.)
- Carpet pile can retain up to 3.5 litres/ m² of moisture.
- Also traps up to 800g of debris/dry dust.
- Bleach and fade resistant – 11-year warranty against significant colour loss.









## Styles Available



Black/Blue



Black/Steel



Black/Red



Black/Brown

## Parts

| Part Number | Size | Colour | Weight (kg) |
|---|---|---|---|
| LM010603 | 1.15 m x 1.75 m | Black/Steel | 4.75 |
| LM010503 | 1.15 m x 1.75 m | Black/Brown | 4.75 |
| LM010303 | 1.15 m x 1.75 m | Black/Red | 4.75 |
| LM010203 | 1.15 m x 1.75 m | Black/Blue | 4.75 |
| LM010602 | 0.85 m x 1.5 m | Black/Steel | 3 |
| LM010502 | 0.85 m x 1.5 m | Black/Brown | 3 |
| LM010302 | 0.85 m x 1.5 m | Black/Red | 3 |
| LM010202 | 0.85 m x 1.5 m | Black/Blue | 3 |
| LM010604 | 0.85 m x 1.2 m | Black/Steel | 2.4 |
| LM010504 | 0.85 m x 1.2 m | Black/Brown | 2.4 |
| LM010304 | 0.85 m x 1.2 m | Black/Red | 2.4 |
| LM010204 | 0.85 m x 1.2 m | Black/Blue | 2.4 |
| LM010601 | 0.6 m x 0.85 m | Black/Steel | 1.25 |
| LM010501 | 0.6 m x 0.85 m | Black/Brown | 1.25 |
| LM010301 | 0.6 m x 0.85 m | Black/Red | 1.25 |
| LM010201 | 0.6 m x 0.85 m | Black/Blue | 1.25 |

## Technical Specifications

| | |
|---|---|
| **Material** | PA |
| **Backing** | NBR |
| **Surface Finish** | Straight set |
| **Product Height** | 8 mm |
| **Product Weight** | 2.3 kg / $m^2$ |
| **Roll Length** | N/A |
| **Mat Edge** | NBR 20 mm |
| **Pile Weight** | 0.65 kg / $m^2$ |
| **Min. Operating Temperature** | 0°C |
| **Max. Operating Temperature** | +60°C |
| **Resistance to Chemicals** | Rubber is resistant to many chemicals, alkalis, detergents and general industrial chemicals. Rubber may swell in polar solvents. |
| **Environmental Resistance** | Suitable for indoor environments |
| **UV Resistance** | No |
| **Typical Applications** | Entrance areas |
| **Installation Method** | Loose lay |
| **Cleaning Method** | 0.6 m x 0.85 m and 0.85 m x 1.2 m can be washed in standard domestic washing machines. All other sizes can be laundered in commercial washing machines. |
| **Guarantee** | 2 years against manufacturing defects. 11 year against colour loss, subject to washing instructions being adhered too. |
| **Colour fastness to light** | 5 |
| **Colour fastness to rubbing, wet and dry** | 5 |
| **Colour fastness to water** | 5 |
| **Colour fastness to soiling** | 5 |
| **Electrostatic charging** | ISO 6356 (2012) Determination of the static electrical propensity walking test - 0.3kVolts |