
Specifications

Eaton 138378



Catalog Number: 138378

Eaton xEffect SASY 60i Enclosures Switch- & Controlgear Enclosure. Plate terminal max.32x30x20

General specifications

Product Name	**Catalog Number**
Eaton xEffect SASY 60i busbar terminal	138378
EAN	**Product Length/Depth**
4015081351589	25 mm
Product Height	**Product Width**
50 mm	50 mm
Product Weight	**Compliances**
0.198 kg	RoHS conform
Certifications	
CE	

Powering Business Worldwide

Product specifications

Used with

All 10 mm thick flat busbars
60 mm system
Connection
185 mm system

Type

185 mm system
60 mm system
Connection

Width clamp

50 mm

Busbar thickness - max

10 mm

Busbar thickness - min

10 mm

Busbar width - max

30 mm

Busbar width - min

20 mm

Conductor cross section - max

300 mm²

Rated operational current (Ie) - max

630 A

Functions

Connections
Plate terminal

Rated operation current (Ie)

630 A

Suitable for

Flat rail
Strip conductor connection

Terminal capacity

21 mm x 1 mm (11x) for copper strip
30 mm x 10 mm for copper bar

Rated operational current

630 A

Resources

Brochures

eaton-xeffect-sasy60i-customer-success-story-css-wagner-mueller-en-us.pdf

Catalogs

eaton-xeffect-sasy-60i-fk4300-1167gb-en-us.pdf

Product Range Catalog Switching and protecting motors

Certification reports

eaton-xeffect-sasy-60i-declaration-of-conformity.pdf

Drawings

eaton-control-panels-terminals-xeffect-sasy-terminal-3d-drawing.eps



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia