Rittal – The System.

Faster – better – everywhere.

Cam lock – SZ 2420.000

Date : Jun 22, 2019

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Cam lock – SZ 2420.000

created: 22.06.2019 on www.rittal.com/com-en



Product description

Material:	Fibreglass-reinforced polyamide
Colour:	RAL 7035
Note on Model No.:	May be exchanged for version B lock cylinders and version A lock inserts

Product features

To fit:	Enclosure type: AE with cam Enclosure type: Based on AE with cam Enclosure type: Wall-mounted enclosure AE with cam
Lock insert:	Double-bit insert
Packs of:	1 pc(s).
Weight/pack:	0.06 kg
Copper weight (kg per piece):	0
EAN:	4028177022737
Customs tariff number:	83015000
ETIM 6.0:	EC000327
ETIM 5.0:	EC000327

© Rittal 2019

eCl@ss 8.0/8.1:	27409217
eCl@ss 7.0/7.1:	27409218
eCl@ss 6.0/6.1:	27409218
eCl@ss 5.1/5.1.4:	27189256
Product description:	SZ Cam lock, glassfibre reinforece polyamid, with double-bit insert

Approvals

Certificates:	EAC

© Rittal 2019