PRODUCT-DETAILS

XLP2

XLP2 Fuse Switch Disconnector



General Information

Extended Product Type	XLP2
Product ID	1SEP101892R0001
EAN	7025840016861
Catalog Description	XLP2 Fuse Switch Disconnector
Long Description	XLP2,3-pole,400A, without clamps or bolts

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Country of Origin	Bulgaria (BG)

Popular Downloads

Data Sheet, Technical Information	1SEC312012D0201

Dimensions

Product Net Width	210 mm
Product Net Height	290 mm
Product Net Depth / Length	130 mm

Product Net Weight	2.5 kg

Technical

Rated Operational Current AC-21B (I_e)	(690 V) 315 A
Rated Operational Current AC-22B (I_e)	(500 V) 400 A
Rated Impulse Withstand Voltage (U_{imp})	Main Circuit 8 kV
Rated Operational Voltage	500 V AC 690 V AC
Rated Frequency (f)	Main Circuit 50/60 Hz
Rated Conditional Short-Circuit Current (I_{nc})	(690 V) 50 kiloampere rms
Handle Type	Front cover 3P
Fuse Size	NH2
Fuse System	DIN
Standards	IEC60947-3
Special Functions	Not Included
Mounting Type	Baseplate
Number of Poles	3
Degree of Protection	IP30
Terminal Type	Lug terminals
Device Type Manager (DTM)	Fuseswitchdisconnector
Fuse Type	NH
Electronic Fuse Monitoring	No

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	1SEP500050P0001

Container Information

Package Level 1 Units	shrink-wrap 1 piece
Package Level 1 Width	210 mm
Package Level 1 Depth / Length	130 mm
Package Level 1 Height	290 mm
Package Level 1 Gross Weight	2.5 kg
Package Level 1 EAN	7025840016861
Package Level 2 EAN	7025840016861

Classifications

Object Classification Code	S
ETIM 4	EC001040 - Fuse switch disconnector
ETIM 5	EC001040 - Fuse switch disconnector
ETIM 6	EC001040 - Fuse switch disconnector
ETIM 7	EC001040 - Fuse switch disconnector
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → EasyLine

