Specifications

Eaton 248300



Catalog Number: 248300

Eaton Distribution parts. Remote testing module, max. 400V-AC, 0.3A, 0.5HP

General specifications

Product Name	**Catalog Number**
Eaton Distribution parts	248300
EAN	**Product Length/Depth**
4015082483005	80 mm
Product Height	**Product Width**
65.5 mm	8.8 mm
Product Weight	**Compliances**
0.04 kg	RoHS conform

Powering Business Worldwide

Product specifications

Used with

Remote testing module
Accessory
Accessory for combined residual current/power circuit breaker
Accessory for residual current circuit breaker

Type

Accessory
Accessory for combined
residual current/power
circuit breaker
Accessory for residual
current circuit breaker

Application

Switchgear for industrial and advanced commercial applications

Accessory/spare part type

Remote test module

Equipment heat dissipation, current-dependent

0.02 W

Mounting method

For fitting on left to: FI

Additional equipment required

Monitoring unit

Ambient operating temperature - max

40 °C

Ambient operating temperature - min

-5 °C

Assembly width

0.5 TE

Heat dissipation per pole, current-dependent

0.02 W

Number of contacts (change-over contacts)

0

Number of contacts (normally closed contacts)

0

Number of contacts (normally open contacts)

0

Resources

Drawings

eaton-dimensions-mas-z-hk.eps

eCAD model

DA-CE-ETN.Z-FW_030

Installation instructions

IL019177ZU

mCAD model

z_fw.dwg

z_fw.stp

Number of poles at main contact unit - max

0

Number of switches (fault signal)

0

Rated fault current

0.3 A

Voltage type

AC

Functions

With auto test for earth leakage function

Remote drive

Device fitting

Earth leakage switch

Rated operational voltage (Ue) - max

0 V

Rated switch current

0 A

Suitable for current of main contact unit - max

0 A

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia