Specifications

Eaton 093833

Catalog Number: 093833

Eaton xEnergy Safety Ci LV systems LV switchgear. Door, transparent smoky gray, for cap CI23



General specifications

Product Name	**Catalog Number**
Eaton xEnergy Safety Ci door	093833
EAN	**Product Length/Depth**
4015080938330	40 mm
Product Height	**Product Width**
225 mm	163 mm
Product Weight	**Compliances**
0.273 kg	RoHS conform

Powering Business Worldwide

Product specifications

Used with

CI23…, D…-CI23

Accessory for basic enclosures

xEnergy Safety Ci

Basic enclosure

Special features

Adhesive film for marking the cutout

Delivery with fixing screws

For increasing the mounting depth by 13.5 mm and the exterior height by 16 mm

Opening angle 180°

Door hinges can be subsequently changed to left, right, top or bottom.

Type

Accessory for basic enclosures

Basic enclosure

xEnergy Safety Ci

Features

Version as glazed door

Accessory/spare part type

Doors

Surface finishing

Untreated

Color

Other

Degree of protection

IP65

NEMA Other

Unit type

Modular system

Cover/door type

Transparent, smoky gray

Material

Plastic

Resources

Brochures

eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf

eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf

Catalogs

eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf

Drawings

eaton-insulated-boards-door-xenergy-safety-ci-dimensions.eps

320I206

Installation instructions

IL0688

mCAD model

t_ci23.dwg

t_ci23.stp

Model

Protective door

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia