Specifications

Eaton 060620



Catalog Number: 060620

Eaton xEnergy Safety Ci LV systems LV switchgear. Busbar support, for CI enclosure 375mm, hxD=20x5(10, 15)mm

General specifications

Product Name
Eaton xEnergy Safety Ci busbar enclosure accessory

Catalog Number
060620

EAN
4015080606208

Product Length/Depth
20 mm

Product Height
100 mm

Product Width
300 mm

Product Weight
0.243 kg

Compliances
RoHS conform

Powering Business Worldwide

Product specifications

Used with

CI43…
L1, L2, L3, PE, N, PEN: 20 x 5
CI44…
CI48…
CI45…
L1, L2, L3: 20 x 10 + 20 x 5; PE, N, PEN: 20 x 10
L1, L2, L3: 20 x 10; PE, N, PEN: 20 x 5
xEnergy Safety Ci
Prepared enclosures
Accessory for busbar enclosures

Special features

Component mounting possible on busbar
Interval between busbar supports max. 375 mm

Type

Accessory for busbar enclosures
Prepared enclosures
xEnergy Safety Ci

Accessory/spare part type

Busbar support

Current rating - max

630 A

Busbar distance

50 mm

Number of poles

Five-pole

Distance between busbar centers

50 mm

Functions

For use between two enclosures
Prepared enclosure

Rated operation current (Ie)

630 A
250 A
400 A

Resources

Brochures

eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf

eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf

Catalogs

eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf

Drawings

eaton-insulated-boards-busbar-xenergy-safety-ci-busbar-support-dimensions.eps

Installation instructions

IL0754

Suitable for

Use between two enclosures

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia