Specifications

Eaton EBF00330S8



Catalog Number: EBF00330S8

Eaton Bussmann series low voltage NH fuse base, Fuse rail, low voltage, 160 A, AC 690 V, NH00, 3P, IEC, 185 mm busbar, bridge terminals with bridge clamps (S) 4 - 70 mm2, screw terminals with M8 screws

General specifications

Product Name Eaton Bussmann series low voltage NH fuse base	**Catalog Number** EBF00330S8
	EAN 5027590540131
Product Length/Depth 135 mm	**Product Height** 715 mm
Product Width 55 mm	**Product Weight** 1796 g
Compliances CE	**Certifications** IEC 60269-1 IEC 60269-2

Powering Business Worldwide

Product specifications

Type

Fuse accessory

Application

Transformer substations, distribution boards, feeder pillars, cable distribution cabinets

Amperage Rating

160 A

Rated permanent current (Iu)

160 A

Conditioned rated short-circuit current Iq

0.1 kA

Double interrupting

No

Number of poles

Three-pole

Construction size (fuse inserts)

NH00

Distance

Between rail center: 185 mm

Electrical connection type of main circuit

Other

Construction size

NH00

Fuse shape

Vertical

Release indication

None

Suitable for

NH00

Suitable for fuses

NH00

Mounting method

Busbar

Voltage rating

690

Resources

Brochures

eaton-bussmann-series-ebf-vertical-fuse-rail-datasheet-10240en-us.pdf

Catalogs

eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf

CA134002EN

Declarations of conformity

CE Vertical NH fuse rails for NH fuse-links sizes 00 to 3

UKCA Vertical NH fuse rails for NH fuse-links sizes 00 to 3

Technical data sheets

10275 EBV Vertical fuse switch-disconnector

Technical service bulletins

10293 EBH Horizontal switch-disconnector

Electrical connection type

Other

Model

Fuse base

Rated operating voltage (Ue) at AC - max

690 V

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia