DATASHEET



A-K8P-M12-S-G-2,5M-GY-1-X-A-4

- 2.5 m
- Pre-wired cable
- 8-pole

Data

Ordering data

Product type description	A-K8P-M12-S-G-2,5M-GY-1-X-A-4
Article number (order number)	103011411
EAN (European Article Number)	4030661477473
eCl@ss number, version 12.0	27-06-03-11
eCl@ss number, version 11.0	27-06-03-11
eCl@ss number, version 9.0	27-06-03-11
ETIM number, version 7.0	EC001855
ETIM number, version 6.0	EC001855

Approvals - Standards

Certificates	cULus

General data

Standards	EN IEC 61076-2-101
Gross weight	162 g

General data - Features

Halogen free	Yes (1)

Cable drag chain suitable	Yes (1)
Number of cable wires	8

Mechanical data

Tightening torque, maximum	1 Nm

Mechanical data - Connection technique

Length of cable	2.5 m
Wire cross-section	0.25 mm^2
Cable diameter	6.2 mm
Bending radius (fixed)	5 x Ø-cable
Bending radius (repeated)	10 x Ø-cable
Colour of the Cable mantle	Grey
Material of the Cable mantle	PVC

Mechanical data - connector side A

Connector typ	Female connector, M12
Design	straight
Connector coding	A
Connector latching	Screw locking
Material of the gland	Metal, CuZn, nickel-plated
Material of the handle	Plastic, TPU
Colour of the handle	Black

Ambient conditions

Degree of protection	IP65 IP67 IP69
Ambient temperature (Connector)	-30 ... +90 °C
Ambient temperature (fixed)	-25 ... +80 °C
Ambient temperature (moved)	+0 ... +80 °C

Electrical data

Thermal test current	2 A
Rated operating voltage	30 VAC
Rated operating voltage	30 VDC
Operating current	2,000 mA

Pin assignment

PIN 1	White
PIN 2	Brown
PIN 3	green
PIN 4	yellow
PIN 5	Grey
PIN 6	Pink
PIN 7	Blue
PIN 8	red


Pictures

Product picture (catalogue individual photo)



ID: k1208f04
| 158.0 kB | .jpg | 352.778 x 235.303 mm - 1000 x 667 px - 72 dpi
| 19.5 kB | .png | 74.083 x 49.389 mm - 210 x 140 px - 72 dpi
| 22.4 kB | .jpg | 123.472 x 82.197 mm - 350 x 233 px - 72 dpi

Contact arrangement



ID: km23-k8a
| 18.0 kB | .cdr |
| 5.5 kB | .png | 73.731 x 79.728 mm - 209 x 226 px - 72 dpi
| 155.6 kB | .jpg | 352.778 x 380.647 mm - 1000 x 1079 px - 72 dpi

Schmersal India Pvt. Ltd., Plot No - G-7/1, Ranjangaon MIDC, Tal. - Shirur, Dist.- Pune 412 220
The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.
Generated on: 26/12/2024, 7:29 am