Specifications

# Eaton 193184

## Catalog Number: 193184

Eaton xEnergy Basic LV systems Low voltage switchgear. Surface-mounted installation distributor IP55, EP, WxHxD=600x1460x270mm, white, swivel lever



## General specifications

| | |
|---|---|
| **Product Name** | **Catalog Number** |
| Eaton xEnergy Basic empty enclosure | 193184 |
| **EAN** | **Product Length/Depth** |
| 9010238008458 | 270 mm |
| **Product Height** | **Product Width** |
| 1460 mm | 600 mm |
| **Product Weight** | **Compliances** |
| 43.3 kg | RoHS conform |

Powering Business Worldwide

## Product specifications

### Type

Basic device

### Features

Connectable

Mounting plate depth-adjustable

EMC-version

### Fitted with:

Door

### Surface finishing

Powder coating

### Degree of protection

IK10

IP55

Other

### Grade material

Sheet steel

### Material quality

Other

### Color

White

### Permissible load of the mounting plate according to IEC 62208 - max

0 N

### Number of locks

0

### RAL-number

9016

### Material

Sheet steel

Steel

### Mounting method

Wall fastening

Surface mounting

### Functions

Basic device

### Installation type

Floor standing wall model

## Resources

### Brochures

eaton-xenergy-basic-light-brochure-br014024-en-us.pdf

### Catalogs

eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf

### Drawings

eaton-low-voltage-switch-gear-dimensions-1230dim-437.eps

### mCAD model

bpm_o_600_14_p_ep_w.dwg

bpm_o_600_14_p_ep_w.stp

### Sales notes

eaton-f3a-flange-flyer-fl019005en-en-us.pdf

Number of covers/doors

1

Suitable for

Metrical mounting

Permissible load of the enclosure according to IEC 62208 - max

0 N

Permissible load of the door(s) according to IEC 62208 - max

0 N

Thermal dissipation (Delta T = 20 K) according to IEC/TR 60890

0 W

Number of connector holes

0

---

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia