Specifications

Eaton 276301



Catalog Number: 276301

Eaton Distribution parts. Control switchp12 S16A, 250 V

General specifications

Product Name	**Catalog Number**
Eaton Distribution parts	276301
EAN	**Product Length/Depth**
4015082763015	80 mm
Product Height	**Product Width**
70 mm	17.5 mm
Product Weight	**Compliances**
0.06 kg	RoHS conform

Powering Business Worldwide

Product specifications

Equipment heat dissipation, current-dependent

4 W

Rated operational voltage (Ue) - max

250 V

Voltage rating - min

230 V

Width in number of modular spacings

1

Number of poles

Two-pole

Color calotte

Other

Switch type

Control switch

Rated short-time withstand current (Icw)

0.02 kA

Lamp socket

Other

Built-in depth

60 mm

Amperage rating

16 A

Voltage type

AC

Lamp type

Other

Degree of protection

IP40

Heat dissipation per pole, current-dependent

2 W

Lamp power

0 W

Number of contacts (change-over contacts)

0

Number of contacts (normally closed contacts)

Resources

Declarations of conformity

DA-DC-03_Z-SW

DA-DC-03_Z-S_SC_SB

DA-DC-03_Z-S

Drawings

eaton-dimensions-mas-el.jpg

eaton-3d-drawing-dl-1.jpg

eaton-wiring-diagram-sw-1.jpg

122I160

eaton-mcb-dimensions-122x116.eps

0

Number of contacts (normally open contacts)

2

Inscription

Other

Rated operational current for specified heat dissipation (In)

16 A

Rated Switching Capacity

0.016 kA

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia