DATASHEET



AZM 161-STS30-01

- Latching handle
- Suitable for all types of guard
- Max. 110 °C

Data

Ordering data

Product type description	AZM 161-STS30-01
Article number (order number)	101175171
EAN (European Article Number)	4030661304458
eCl@ss number, version 12.0	27-27-26-06
eCl@ss number, version 11.0	27-27-26-06
eCl@ss number, version 9.0	27-27-26-06
ETIM number, version 7.0	EC001487
ETIM number, version 6.0	EC001487

General data

Housing coating material	painted
Material of the operators	Aluminium
Material of the mounting plate	steel
Gross weight	1,950 g

General data - Features

Emergency handle	Yes

Mechanical data

Door hinge	Right
Shearing force	15,000 N
Actuator mounted	Inside

Scope of delivery

Scope of delivery	With emergency handle The door latch is not included in the scope of delivery
Note (scope of delivery, number and type)	(parts marked grey in the dimensional drawing)
Scope of delivery of mounting material	Mounting plate for safety switch

Note

Note (General)	For actuators mounted on the inside, mounting plate MP TG-01 must be used to fix the door handle to the profile (101174965). When using door handle systems with a panic handle, the use of a solenoid interlock with escape release is always required.

Pictures

Product picture (catalogue individual photo)



ID: kazm1f25
| 498.2 kB | .jpg | 352.778 x 352.778 mm - 1000 x 1000 px - 72 dpi
| 36.5 kB | .png | 74.083 x 74.083 mm - 210 x 210 px - 72 dpi
| 65.1 kB | .jpg | 123.472 x 123.472 mm - 350 x 350 px - 72 dpi

Dimensional drawing actuator



ID: 1azm1m10
| 9.5 kB | .png | 74.083 x 51.506 mm - 210 x 146 px - 72 dpi
| 137.0 kB | .jpg | 352.778 x 245.886 mm - 1000 x 697 px - 72 dpi

Schmersal India Pvt. Ltd., Plot No - G-7/1, Ranjangaon MIDC, Tal. - Shirur, Dist.- Pune 412 220
The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.
Generated on: 26/12/2024, 12:07 pm