A9207150

Anti-slide feet 6.5 x 2 mm

Rubber feet with self-adhesive foil facilitate a secure position.

Supply
2 rubber feet



TECHNICAL DATA

Colour	transparent
Standards	RoHS compliant, REACH compliant

Please take the dimensions from current parts. These are subject to material- and manufacturing-specific tolerances.

PURCHASING DATA

Weight/1 part	1 g
Customs tariff number (OKW product)	40169997
Country of manufacture	U.S.A.

A9207150

Anti-slide feet 6.5 x 2 mm

SYSTEM COMPONENTS TO COMPLETE



A9005107
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
off-white RAL 9002
136x74x32mm
IP 65



A9005108
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
lava
136x74x32mm
IP 65



A9005117
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
off-white RAL 9002
136x74x32mm
IP 41



A9005118
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
lava
136x74x32mm
IP 41



A9005207
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
off-white RAL 9002
136x74x32mm
IP 65



A9005208
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
lava
136x74x32mm
IP 65



A9005217
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
off-white RAL 9002
136x74x32mm
IP 41



A9005218
DATEC-COMPACT S
ASA+PC (UL 94 V-0)
lava
136x74x32mm
IP 41



A9006107
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
off-white RAL 9002
172x92x39mm
IP 65



A9006108
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
lava
172x92x39mm
IP 65



A9006117
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
off-white RAL 9002
172x92x39mm
IP 41



A9006118
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
lava
172x92x39mm
IP 41

A9207150

Anti-slide feet 6.5 x 2 mm



A9006207
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
off-white RAL 9002
172x92x39mm
IP 65



A9006208
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
lava
172x92x39mm
IP 65



A9006217
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
off-white RAL 9002
172x92x39mm
IP 41



A9006218
DATEC-COMPACT M
ASA+PC (UL 94 V-0)
lava
172x92x39mm
IP 41



A9007107
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
off-white RAL 9002
206x110x47mm
IP 65



A9007108
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
lava
206x110x47mm
IP 65



A9007117
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
off-white RAL 9002
206x110x47mm
IP 41



A9007118
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
lava
206x110x47mm
IP 41



A9007207
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
off-white RAL 9002
206x110x47mm
IP 65



A9007208
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
lava
206x110x47mm
IP 65



A9007217
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
off-white RAL 9002
206x110x47mm
IP 41



A9007218
DATEC-COMPACT L
ASA+PC (UL 94 V-0)
lava
206x110x47mm
IP 41



A9092107
DIATEC XS
ABS (UL 94 HB)
off-white RAL 9002
150x37x155mm
IP 40



A9092108
DIATEC XS
ABS (UL 94 HB)
lava
150x37x155mm
IP 40



A9152057
Tilt foot bar
ABS (UL 94 HB)
off-white RAL 9002



A9152058
Tilt foot bar
ABS (UL 94 HB)
lava

A9207150


Anti-slide feet 6.5 x 2 mm



A9152059
Tilt foot bar
ABS (UL 94 HB)
black RAL 9005




A9250807
Tilt foot bar
ABS (UL 94 HB)
off-white RAL 9002




A9250809
Tilt foot bar
ABS (UL 94 HB)
black RAL 9005




A9250817
Tilt foot bar
ABS (UL 94 HB)
off-white RAL 9002



A9250819
Tilt foot bar
ABS (UL 94 HB)
black RAL 9005



A9250907
Tilt foot bar
ABS (UL 94 HB)
off-white RAL 9002



A9250909
Tilt foot bar
ABS (UL 94 HB)
black RAL 9005



A9404331
SHELL-TYPE CASES G 85,
Vers. I
ABS (UL 94 HB)
off-white RAL 9002
45x85x22mm
IP 65 opt.



A9404333
SHELL-TYPE CASES V 85,
Vers. I
ABS (UL 94 HB)
off-white RAL 9002
45x85x22mm




A9404341
SHELL-TYPE CASES G 85,
Vers. I
ABS (UL 94 HB)
off-white RAL 9002
45x85x33mm
IP 65 opt.



A9404441
SHELL-TYPE CASES G 85,
Vers. I
ABS (UL 94 HB)
off-white RAL 9002
45x85x45mm
IP 65 opt.




A9406331
SHELL-TYPE CASES G 110,
Vers. I
ABS (UL 94 HB)
off-white RAL 9002
72x114x33mm
IP 65 opt.



A9406332
SHELL-TYPE CASES G 110,
Vers. II
ABS (UL 94 HB)
off-white RAL 9002
72x114x33mm



A9406333
SHELL-TYPE CASES V 110,
Vers. I
ABS (UL 94 HB)
off-white RAL 9002
72x114x33mm




A9406334
SHELL-TYPE CASES V 110,
Vers. II
ABS (UL 94 HB)
off-white RAL 9002
72x114x33mm



A9406341
SHELL-TYPE CASES G 110,
Vers. I
ABS (UL 94 HB)
off-white RAL 9002
72x114x45mm
IP 65 opt.

A9207150


Anti-slide feet 6.5 x 2 mm



A9406342
SHELL-TYPE CASES G 110, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
72x114x45mm



A9406343
SHELL-TYPE CASES V 110, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
72x114x45mm



A9406344
SHELL-TYPE CASES V 110, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
72x114x45mm



A9406351
SHELL-TYPE CASES G 110, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
72x114x33.5mm
IP 65 opt.



A9406352
SHELL-TYPE CASES G 110, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
72x114x33.5mm



A9406441
SHELL-TYPE CASES G 110, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
72x114x57mm
IP 65 opt.



A9406443
SHELL-TYPE CASES V 110, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
72x114x57mm



A9530165
FLAT-PACK CASE 150 A
ABS (UL 94 HB)
off-white RAL 9002
150x85x45mm
IP 40



B1040365
TOPTEC 102, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
102x54x30mm
IP 40



B1040369
TOPTEC 102, Vers. I
ABS (UL 94 HB)
black RAL 9005
102x54x30mm
IP 40



B1040465
TOPTEC 102, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
102x54x30mm
IP 40



B1040469
TOPTEC 102, Vers. II
ABS (UL 94 HB)
black RAL 9005
102x54x30mm
IP 40



B1050365
TOPTEC 123 H, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
123x68x45mm
IP 40



B1050369
TOPTEC 123 H, Vers. I
ABS (UL 94 HB)
black RAL 9005
123x68x45mm
IP 40



B1050465
TOPTEC 123 H, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
123x68x45mm
IP 40



B1050469
TOPTEC 123 H, Vers. II
ABS (UL 94 HB)
black RAL 9005
123x68x45mm
IP 40

A9207150

Anti-slide feet 6.5 x 2 mm



B1055365
TOPTEC 123 F, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
123x68x30mm
IP 40



B1055369
TOPTEC 123 F, Vers. I
ABS (UL 94 HB)
black RAL 9005
123x68x30mm
IP 40



B1055465
TOPTEC 123 F, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
123x68x30mm
IP 40



B1055469
TOPTEC 123 F, Vers. II
ABS (UL 94 HB)
black RAL 9005
123x68x30mm
IP 40



B1060365
TOPTEC 154 H, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
154x84x56mm
IP 40



B1060369
TOPTEC 154 H, Vers. I
ABS (UL 94 HB)
black RAL 9005
154x84x56mm
IP 40



B1060465
TOPTEC 154 H, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
154x84x56mm
IP 40



B1060469
TOPTEC 154 H, Vers. II
ABS (UL 94 HB)
black RAL 9005
154x84x56mm
IP 40



B1065365
TOPTEC 154 F, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
154x84x38mm
IP 40



B1065369
TOPTEC 154 F, Vers. I
ABS (UL 94 HB)
black RAL 9005
154x84x38mm
IP 40



B1065465
TOPTEC 154 F, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
154x84x38mm
IP 40



B1065469
TOPTEC 154 F, Vers. II
ABS (UL 94 HB)
black RAL 9005
154x84x38mm
IP 40



B1070365
TOPTEC 194 H, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
194x115x68mm
IP 40



B1070369
TOPTEC 194 H, Vers. I
ABS (UL 94 HB)
black RAL 9005
194x115x68mm
IP 40



B1070465
TOPTEC 194 H, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
194x115x68mm
IP 40



B1070469
TOPTEC 194 H, Vers. II
ABS (UL 94 HB)
black RAL 9005
194x115x68mm
IP 40

A9207150

Anti-slide feet 6.5 x 2 mm



B1075365
TOPTEC 194 F, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
194x115x46mm
IP 40



B1075369
TOPTEC 194 F, Vers. I
ABS (UL 94 HB)
black RAL 9005
194x115x46mm
IP 40



B1075465
TOPTEC 194 F, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
194x115x46mm
IP 40



B1075469
TOPTEC 194 F, Vers. II
ABS (UL 94 HB)
black RAL 9005
194x115x46mm
IP 40



B3214101
NET-BOX 140, Vers. I
ASA+PC (UL 94 V-0)
light grey RAL 7035
140x140x46.5mm
IP 65 opt., IP 40



B3214201
NET-BOX 140, Vers. II
ASA+PC (UL 94 V-0)
light grey RAL 7035
140x140x46.5mm
IP 65 opt.



B3218101
NET-BOX 180, Vers. I
ASA+PC (UL 94 V-0)
light grey RAL 7035
180x180x48.5mm
IP 65 opt., IP 40



B3218201
NET-BOX 180, Vers. II
ASA+PC (UL 94 V-0)
light grey RAL 7035
180x180x48.5mm
IP 65 opt.



B3222101
NET-BOX 220, Vers. I
ASA+PC (UL 94 V-0)
light grey RAL 7035
220x220x50.5mm
IP 65 opt., IP 40



B3222201
NET-BOX 220, Vers. II
ASA+PC (UL 94 V-0)
light grey RAL 7035
220x220x50.5mm
IP 65 opt.



B5010007
Bottom and top part R110 F
ABS (UL 94 HB)
off-white RAL 9002
ø110x30mm



B5010009
Bottom and top part R110F
ABS (UL 94 HB)
black RAL 9005
ø110x30mm



B5010107
Bottom and top part R110 H
ABS (UL 94 HB)
off-white RAL 9002
ø110x38mm



B5010109
Bottom and top part R110 H
ABS (UL 94 HB)
black RAL 9005
ø110x38mm



B5010207
Bottom and top part R110 F
ABS (UL 94 HB)
off-white RAL 9002
ø110x38mm



B5010209
Bottom and top part R110 F
ABS (UL 94 HB)
black RAL 9005
ø110x38mm

A9207150

Anti-slide feet 6.5 x 2 mm



B5010307
Bottom and top part R110 H
ABS (UL 94 HB)
off-white RAL 9002
ø110x41mm



B5010309
Bottom and top part R110 H
ABS (UL 94 HB)
black RAL 9005
ø110x41mm



B5011117
Base
ABS (UL 94 HB)
off-white RAL 9002



B5011119
Base
ABS (UL 94 HB)
black RAL 9005



B5011217
Base 30°
ABS (UL 94 HB)
off-white RAL 9002



B5011219
Base 30°
ABS (UL 94 HB)
black RAL 9005



B5011317
Base 55°
ABS (UL 94 HB)
off-white RAL 9002



B5011319
Base 55°
ABS (UL 94 HB)
black RAL 9005



B5011847
Lid
ABS (UL 94 HB)
off-white RAL 9002



B5011849
Lid
ABS (UL 94 HB)
black RAL 9005



B5011857
Battery compartment lid
ABS (UL 94 HB)
off-white RAL 9002



B5011859
Battery compartment lid
ABS (UL 94 HB)
black RAL 9005



B5012207
Bottom and top part S110F
ABS (UL 94 HB)
off-white RAL 9002
110x110x38mm



B5012209
Bottom and top part S110 F
ABS (UL 94 HB)
black RAL 9005
110x110x38mm



B5015007
Bottom and top part O160 F
ABS (UL 94 HB)
off-white RAL 9002
160x110x30mm



B5015009
Bottom and top part O160 F
ABS (UL 94 HB)
black RAL 9005
160x110x30mm

A9207150

Anti-slide feet 6.5 x 2 mm



B5015107
Bottom and top part O160 H
ABS (UL 94 HB)
off-white RAL 9002
160x110x38mm



B5015109
Bottom and top part O160 H
ABS (UL 94 HB)
black RAL 9005
160x110x38mm



B5015207
Bottom and top part O160 F
ABS (UL 94 HB)
off-white RAL 9002
160x110x38mm



B5015209
Bottom and top part O160 F
ABS (UL 94 HB)
black RAL 9005
160x110x38mm



B5015307
Bottom and top part O160 H
ABS (UL 94 HB)
off-white RAL 9002
160x110x41mm



B5015309
Bottom and top part O160 H
ABS (UL 94 HB)
black RAL 9005
160x110x41mm



B5017207
Bottom and top part E160 F
ABS (UL 94 HB)
off-white RAL 9002
160x110x38mm



B5017209
Bottom and top part E160 F
ABS (UL 94 HB)
black RAL 9005
160x110x38mm

Subject to technical modification without notice. © by OKW Gehäusesysteme, Buchen/Germany.