Specifications

Eaton 215452



Catalog Number: 215452

Eaton xEffect Accessories LV systems Accessories and replacement parts for LV switchgear. Multiple gaskets for cable glands V-M..., Cable entry M32, 4x 3.5-7mm

General specifications

Product Name
Eaton xEffect Accessories LV systems Accessories and replacement parts for LV switchgear

Catalog Number
215452

EAN
4015082154523

Product Length/Depth
20 mm

Product Height
15 mm

Product Width
20 mm

Product Weight
0.004 kg

Compliances
RoHS conform

Powering Business Worldwide

Product specifications

Used with

H03VV-F 0.75 mm² (4x)

Type

General switchboard accessory

Inside diameter

6 mm

Thickness

10 mm

Cable entry type

M32

Color

Black, similar to RAL 9005

Degree of protection

IP66

Accessory/spare part type

Multiple gaskets

Cable management

Material quality

Other

Material

thermoplastic elastomer

Plastic

Outer cable diameter

4 x (3.5 - 7) mm

Nominal diameter

0 mm

Operating temperature - max

100 °C

Operating temperature - min

-25 °C

Nominal size in inch

Other

Temperature resistance

Temperature resistant: -25 °C - 100 °C, short-time up to approx.

120 °C

Thread type

Resources

Catalogs

eaton-panel-building-accessories-catalog-ca008008en-en-us.pdf

eaton-xeffect-cs-enclosure-catalog-fk4300-1178gb-en-us.pdf

Drawings

eaton-totally-insulated-boards-dimensions-4610dim-17.eps

461I047

Metric

Pitch thread

0 in

Nominal thread size inch/gas pipe thread

Other

Nominal thread size metric/PG

32

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia