Datasheet - AZ/AZM 415-B3

Safety switch with separate actuator / AZ 415 / Actuator

☒ Preferred typ



(Minor differences between the printed image and the original product may exist!)

- Particularly suitable for hinged guards
- For very smal actuating radii at 90° to the plane of the actuator

Ordering details

Product type description	AZ/AZM 415-B3
Article number	101144797
EAN code	4030661134314
eCl@ss	27-27-92-16

Global Properties

Product name	Beweglicher Betätiger AZ/AZM 415-B3
Weight	165 g

Mechanical data

Design of actuators	flexible, straight
Minimum actuating radius	250 mm

notice

The axis of the hinge should be 36 mm above the top edge of the safety switch and in the same plane

Removal of the actuator can be prevented by fitting dowel pins in the holes provided.
The actuator can be brought into any desired position by adjustment of the hexagonal key wrench (a).
This actuator can also be used for sliding doors.

Actuating radius adjustable, minimum 250, using an hexagonal key wrench 4 A/F

Documents

Operating instructions and Declaration of conformity (nl) 329 kB, 20.09.2012
Code: mrl_az-azm415-b_nl

Operating instructions and Declaration of conformity (ro) 315 kB, 25.01.2012
Code: mrl_az-azm415-b_ro

Operating instructions and Declaration of conformity (fr) 313 kB, 04.04.2012
Code: mrl_az-azm415-b_fr

Operating instructions and Declaration of conformity (es) 549 kB, 09.11.2011
Code: mrl_az-azm415-b_es

Operating instructions and Declaration of conformity (pt) 315 kB, 22.05.2012
Code: mrl_az-azm415-b_pt

Operating instructions and Declaration of conformity (pl) 156 kB, 11.08.2014
Code: mrl_az-azm415-b_pl

Operating instructions and Declaration of conformity (jp) 415 kB, 17.02.2012
Code: mrl_az-azm415-b_jp

Operating instructions and Declaration of conformity (de) 545 kB, 26.09.2011
Code: mrl_az-azm415-b_de

Operating instructions and Declaration of conformity (da) 316 kB, 06.01.2012
Code: mrl_az-azm415-b_da

Operating instructions and Declaration of conformity (it) 314 kB, 28.02.2012
Code: mrl_az-azm415-b_it

Operating instructions and Declaration of conformity (en) 126 kB, 24.02.2014
Code: mrl_az-azm415-b_en

Images



Dimensional drawing (miscellaneous)



Dimensional drawing (miscellaneous)



Actuating radius

K.A. Schmersal GmbH & Co. KG, Möddinghofe 30, D-42279 Wuppertal
The data and values have been checked throroughly. Technical modifications and errors excepted.
Generiert am 19.01.2016 - 11:28:12h Kasbase 3.2.1.F.64I