Specifications

Eaton 24CAV2



Catalog Number: 24CAV2

Eaton Bussmann series medium auxiliary fuse, VT fuse-link, medium voltage, 2 A, AC 24 kV, 340 x 41.3 mm, back-up, IEC, Protection of auxiliary transformers, 2 A, 40K A Breaking Cap, Inst Air, Back-up, IEC, AC, Class back-up, Bolt-on

General specifications

Product Name
Eaton Bussmann series medium auxiliary fuse

Catalog Number
24CAV2

EAN
5027590468848

UPC
051712832915

Product Length/Depth
340 mm

Product Height
41 mm

Product Width
41 mm

Product Weight
1000 g

Certifications
IEC60282-1

Powering Business Worldwide

Product specifications

Type

fuse

Application

Protection of auxiliary transformers

Amperage Rating

2 A

Fuse indicator

Non Indicating

Fuse size

340 x 41.3 mm

340 x 41 mm

Breaking capacity

40 kA

Installation technique

Air

Performance Cat According To IEC 60282-1

Back-up

Product application

Auxiliary transformer protection

Release characteristic

Other

Standard

IEC

Utilization Category

Other

Voltage type

AC

With striker

No

Class

Class back-up

Barrels

1

Construction type

Bolt-on

Resources

Fuse shape

Cylindrical

Fuse diameter

41 mm

Resistance

2.54 ohms

Interrupt rating

40 kAIC

Connection

Ferrule end x ferrule end

Construction size

340 x 41.3 mm

340 x 41 mm

Packaging type

Standard

Quantity

1

Voltage rating

24 kV

Fuse type

CAV

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia