

# ESSENTIAL HAND PROTECTION

POLYCO

www.polyco.co.uk

BM Polyco Ltd., founded in 1979, is now one of Europe's leading hand protection suppliers in the retail, industrial and medical markets. The industrial division, known as Polyco, leads the market in innovative products for industrial use and supplies to a wide range of markets.

Our commitment is to find cost effective solutions to our customers' hand protection needs; the ultimate glove solution will provide "Enhanced Manual Dexterity" - the ability to work better, faster and safer with our gloves than without.

This catalogue presents Polyco's Essential product range, a range of gloves comprising cost-effective solutions for all industrial applications, including general purpose, cut resistant, hot/cold handling, specialist and disposable. This range offers outstanding value for money without compromising quality, comfort, wearability and safety.

To find out more about our extensive range of Advanced Hand Protection solutions, please contact our Customer Services department to request a full catalogue or visit us online at www.polyco.co.uk.

## Contents


| | |
|---|---|
| Page 1 | Personal Protective Equipment Directive |
| Page 2 | New Products |
| Page 3 | Essential Nitrile |
| Pages 4 - 11 | General Purpose |
| Page 12 | Specialist - Hot Handling |
| Page 13 | Specialist - Cold Handling |
| Page 14 | Specialist - Cut Resistant |
| Page 15 | Specialist - Chemical Resistant |
| Pages 16 - 17 | Specialist |
| Pages 18 - 21 | Disposable |

# PERSONAL PROTECTIVE EQUIPMENT DIRECTIVE

The Personal Protective Equipment at Work Regulations (SI1992/2966) require employers to provide their employees with appropriate Personal Protective Equipment (PPE). Protective gloves which are classified as PPE must be CE marked.

To assist in the selection of PPE, the Personal Protective Equipment Directive (89/686/EEC) is written such that safety equipment is categorised. This categorisation enables Safety Personnel to select the appropriate PPE to match the hazards and risks identified during Health and Safety Audits. In addition, the properties of protective gloves are described by a range of European Standards, and gloves must comply with relevant standards.

All gloves must comply with EN420 General Requirements for gloves. Other standards relate to specific types of hazards. The standards provide a system for evaluating the performance of the glove according to stated levels. Pictograms are defined to provide a means of identifying the hazard against which the glove provides protection.




## European Standards (EN's)

### General Requirements of EN420

EN420 defines the general requirements for most types of protective gloves:

- Product and packaging information and marking
- Design and construction
- Fitness for the purpose
- Sizing
- Comfort and efficiency
- Innocuousness
- Storage

| Chemical and Micro-Organism EN374 | Rating |
|---|---|
| **EN374-2** Resistance to penetration by micro-organisms. Referred to as acceptable quality level (AQL) | 1-3 |
| **EN374-3** Resistance to chemical hazards (permeation) | 1-6 |

| Mechanical Hazards EN388 | Rating |
|---|---|
| abcd | |
| a) Resistance to abrasion | 0-4 |
| b) Blade cut resistance | 0-5 |
| c) Tear resistance | 0-4 |
| d) Puncture resistance | 0-4 |

| Protection from Cold EN511 | Rating |
|---|---|
| abc | |
| a) Resistance to convection cold | 0-4 |
| b) Resistance to contact cold | 0-4 |
| c) Permeability to water | 0-1 |

| Thermal Hazards (heat and/or fire) EN407 | Rating |
|---|---|
| abcdef | |
| a) Burning behaviour | 0-4 |
| b) Contact heat | 0-4 |
| c) Convection heat | 0-4 |
| d) Radiant heat | 0-4 |
| e) Small splashes of molten metal | 0-4 |
| f) Large splashes of molten metal | 0-4 |

The higher the score, the better the performance.
0 represents a fail - X denotes no test was carried out.

# NEW PRODUCTS

## MATRIX NITRILE GRIP™

**Features**

- Seamless nylon shell with full nitrile coating.
- Close fit gives excellent dexterity.
- Seamless liner offers great comfort and flexibility.
- Nitrile coating offers superior grip, also in wet conditions.

| Size | 8 | 9 | 10 | 11 | EN388 |
|---|---|---|---|---|---|
| Code | 115-MAT | 116-MAT | 117-MAT | 118-MAT | 3122 |



## MATRIX NBR™

**Features**

- Lightweight cotton liner with ¾ nitrile coating.
- Lightweight liner gives excellent dexterity and flexibility.
- Nitrile coating offers superior grip.

| Size | 8 | 9 | 10 | 11 | EN388 |
|---|---|---|---|---|---|
| Code | 125-MAT | 126-MAT | 127-MAT | 128-MAT | 3111 |



## MATRIX K™

**Features**

- Blend of Kevlar® and LYCRA® with Bi-Polymer palm coating.
- The close fit offers excellent dexterity and flexibility.
- The Bi-Polymer coating offers superior grip in both wet and dry conditions.
- Cut level 2.

| Size | 8 | 9 | 10 | 11 | EN388 |
|---|---|---|---|---|---|
| Code | 135-MAT | 136-MAT | 137-MAT | 138-MAT | 3231 |

Kevlar® is a DuPont registered trademark
LYCRA® fiber is a trademark of INVISTA





## N785, N786 & N985

**Features**

- Light duty nitrile coated glove.
- Nitrile coating for excellent resistance to abrasion and tear.
- Anatomical shape improves fit and reduces hand fatigue.
- Textured finish for outstanding dry grip.

| Size | 7 | 8 | 9 | 10 | EN388 |
|---|---|---|---|---|---|
| Yellow Palm Coated Knit Wrist | - | N985/08 | N985/09 | N985/10 | 4111 |
| Blue Palm Coated Knit Wrist | N785/07 | N785/08 | N785/09 | N785/10 | 4111 |
| Blue Fully Coated Knit Wrist | - | N786/08 | N786/09 | N786/10 | 4121 |



## N186 & N196

**Features**

- Heavy duty nitrile coated glove.
- Nitrile coating for excellent resistance to abrasion, cuts and tears.
- Comfortable cotton jersey liner.
- Textured finish for outstanding dry grip.

| Size | 9 | 10 | EN388 |
|---|---|---|---|
| Fully Coated Knit Wrist | N186/09 | N186/10 | 4221 |
| Fully Coated Safety Cuff | - | N196/10 | 4221 |

# GENERAL PURPOSE

## REFLEX T™

**Features**

- Seamless knitted polycotton liner.
- Latex palm coating with crinkle finish.
- Flexible coating reduces hand fatigue.
- Open back for extra ventilation.

| Size | 7 | 8 | 9 | 10 | EN388 |
|---|---|---|---|---|---|
| Reflex T Orange | 8601T | 8602T | 8603T | 8604T | 2142 |
| Reflex T Green | 8611T | 8612T | 8613T | 8614T | 2142 |
| Reflex T Blue | 8641T | 8642T | 8643T | 8644T | 2142 |



## NIFLEX™

**Features**

- Lightweight nitrile coating on a cotton interlock fabric.
- Nitrile impregnation provides excellent abrasion resistance.
- Superior grip in dry applications and good in many light oil applications.

| Size | 7 | 7.5 | 8 | 9 | 10 | EN388 |
|---|---|---|---|---|---|---|
| Regular Ladies | 9802 | 9803 | - | - | - | 4111 |
| Regular Men's | - | - | 9902 | 9903 | 9904 | 4111 |



## NIFORT™

**Features**

- Extra wear nitrile coating on fleecy cotton fabric.
- Comfortable stretch material and soft cotton liner.
- Extra durability and greater resistance to abrasion, cuts and snags.
- Exceptional grip in dry applications for added safety and security.

| Size | 9 | 10 | EN388 |
|---|---|---|---|
| Safety Cuff | 9702 | 9703 | 3121 |
| Knit Wrist | 9712 | - | 3121 |



Nifort Knit Wrist



## FIRMADOT™

**Features**

- PVC coated knitted glove.
- Dot coating provides exceptional grip for safe handling.
- Outstanding fit, flexibility and feel.
- Seamless construction will not irritate hands - even during long periods of wear.

| Size | 7 | 8 | 9 | 10 | EN388 |
|---|---|---|---|---|---|
| Code | 7301 | 7302 | 7303 | 7304 | 114X |



## TERRY-NIT™

**Features**

- Seamless terry cloth glove with continuous terry wrist.
- Seamless construction gives a snug fit and much greater sensitivity.
- Offers good resistance to abrasive and sharp objects.
- Provides good thermal insulation in hot and cold handling situations.

| Size | 10 | EN388 |
|---|---|---|
| Code | 7702 | 1231 |



## INSPEC™ GRIP PC

**Features**

- Polycotton seamless inspection glove.
- Seamless construction makes gloves extremely comfortable and reduces hand fatigue.
- PVC dots provide exceptional grip and handling ability.

| Size | 7 | 8 | 9 | 10 | EN388 |
|---|---|---|---|---|---|
| Code | 7660PC | 7661PC | 7662PC | 7663PC | 114X |



## CRISS-CROSS PVC

**Features**

- Clear PVC criss-cross coating for extra grip.
- Highly flexible and knitted construction improves 'breathability' of the hand.
- Elasticated knitted wrist for secure fit.

| Size | One Size | EN388 |
|---|---|---|
| Orange | CSP156/MNS | 1131 |
| White | CSP156W/MN | 1131 |

# GENERAL PURPOSE

## MIXED FIBRE GLOVE

**Features**

- Elasticated wrist.
- Knitted glove.
- Ambidextrous.



| Size | One Size |
|---|---|
| Code | CS129W/MNS |

CE For Minimal Risks Only

## PVC MICRO DOT COTTON GLOVE

**Features**

- 'Tec Dot' lightweight cotton slip-on style glove.
- Fourchette style glove gives an excellent fit and sweat absorbency.
- PVC micro dots on palm allow grip of small parts and fine handling.



| Size | Small | Medium | Large |
|---|---|---|---|
| Code | CK80/S | CK80/M | CK80/L |

CE For Minimal Risks Only

## RED PVC KNIT WRIST GLOVE

**Features**

- 100% knitted cotton wrist.
- Cotton interlock lining.
- Good resistance to abrasion, tear and mechanical hazards.



| Size | One Size | EN388 |
|---|---|---|
| Code | P10R/E10 | 3121 |

CE



## RED PVC FULLY COATED GAUNTLET

**Features**

- Cotton interlock knitted liner.
- Smooth finish.
- Good resistance to abrasion, tear and mechanical hazards.

| Length | Code | EN388 |
|---|---|---|
| 270mm | P11R/E10 | 3121 |
| 350mm | P13R/E10 | 3121 |
| 450mm | P15R/E10 | 3121 |



## PREMIUM CHROME RIGGER

**Features**

- Made from selected leather.
- Rubberised safety cuff.
- Machine press cut to give consistent quality and size.
- Good resistance to abrasion and tear.

| Size | One Size | EN388 |
|---|---|---|
| Code | LR158R/MNS | 3313 |



## RIGMASTER DOUBLE PALM RIGGER

**Features**

- Double thickness of leather on palm for extra durability.
- Rubberised safety cuff with vain patch for extra protection.
- Palm lined for comfort.
- Excellent abrasion resistance.

| Size | One Size | EN388 |
|---|---|---|
| Code | LR143DP/L | 4243 |



## RIGMASTER CHROME RIGGER

**Features**

- Excellent abrasion resistance.
- Good durability.
- Rubberised safety cuff with vein patch for additional protection.
- Palm lined for comfort.

| Size | One Size | EN388 |
|---|---|---|
| Code | LR143/L | 4243 |

# GENERAL PURPOSE

## QUEBEC

**Features**

- Heavyweight glove made from selected leather.
- Padded for warmth and comfort.
- Welted seams for extra strength.

| Size | One Size |
|---|---|
| Code | GL4906 |

CE For Minimal Risks Only



## DAYTONA

**Features**

- High grade cow grain leather glove with a fleece lining.
- Good abrasion, tear and puncture resistance.
- Elasticated safety cuff holds glove in place and ensures a snug fit.
- Fleece lining for extra comfort and warmth.

| Size | 9 | 10 | EN388 |
|---|---|---|---|
| Code | DR100/09 | DR100/10 | 2122 |

CE



## BLOCK/RAINBOW FURNITURE HIDE GLOVE

**Features**

- Solid/striped colour leather patch palm.
- Rubberised safety cuff with vein patch for additional protection.

| Size | One Size |
|---|---|
| Solid colour (block) | LGR167/MNS |
| Assorted colour (rainbow) | LGR167/RBMN |

CE For Minimal Risks Only





## STANDARD CHROME RIGGER

**Features**

- Patch palm.
- 2" Reinforced cuff.

| Size | One Size |
|---|---|
| Code | LR33BPE |

CE For Minimal Risks Only



## LEATHER GAUNTLET

**Features**

- Excellent durability.
- Comfortable lining.
- Die cut to ensure consistency of size.

| Size | One Size |
|---|---|
| Green | L132GE/MNS |

CE For Minimal Risks Only



## COTTON CHROME GLOVE

**Features**

- Patch palm chrome leather.
- Lightweight canvas cotton back.
- Knitted wrist.

| Size | One Size |
|---|---|
| Code | LC112P/L |

CE For Minimal Risks Only



## KNITTED COTTON STOCKINETTE

**Features**

- 100% Natural cotton glove.
- Available in various weights.
- Knitted wrist to provide snug fit.

| Size | Ladies | Men's |
|---|---|---|
| Mediumweight | CK21KW/LDS | CK21KW/MNS |
| Heavyweight | - | CK41/MNS |
| Stockinette | - | CK21KWC/MNS |

CE For Minimal Risks Only

# GENERAL PURPOSE

## COTTON DRILL GLOVE

**Features**

- Canvas/drill glove.
- Suitable for light and general handling.
- Ambidextrous for extra wear.

| Size | Ladies | Men's |
|---|---|---|
| Code | CW339/LDS | CW339/MNS |

CE For Minimal Risks Only



## RIGMASTER COTTON CHROME GLOVE

**Features**

- Selected leather palm and mediumweight canvas back.
- Knitted wrist.
- Unlined.

| Size | Medium | Large | EN388 |
|---|---|---|---|
| Code | LC176/M | LC176/L | 3142 |

CE



## MATRIX S GRIP

**Features**

- Seamless polycotton shell with latex crinkle coating.
- Available in two colour combinations: orange/yellow and green/yellow.

| Size | 8 | 9 | 10 | EN388 |
|---|---|---|---|---|
| Orange / Yellow | 502-MAT | 503-MAT | 504-MAT | 2131 |
| Green / Yellow | 602-MAT | 603-MAT | 604-MAT | 2131 |

CE



## MATRIX P GRIP

**Features**

- Seamless nylon shell with PU palm coating.
- Available in three colours: white, grey and black.

| Size | 6 | 7 | 8 | 9 | 10 | 11 | EN388 |
|---|---|---|---|---|---|---|---|
| White | 200-MAT | 201-MAT | 202-MAT | 203-MAT | 204-MAT | - | 3131 |
| Grey | 300-MAT | 301-MAT | 302-MAT | 303-MAT | 304-MAT | - | 3131 |
| Black | 400-MAT | 401-MAT | 402-MAT | 403-MAT | 404-MAT | 405-MAT | 3131 |

CE





## MATRIX F GRIP

**Features**

- Seamless nylon shell with a foamed nitrile coating.
- Palm coated (grey/white) and fully coated (white/black) styles available.

| Size | 6 | 7 | 8 | 9 | 10 | EN388 |
|---|---|---|---|---|---|---|
| Palm Coated | 100-MAT | 101-MAT | 102-MAT | 103-MAT | 104-MAT | 4121 |
| Fully Coated | - | 107-MAT | 108-MAT | 109-MAT | 110-MAT | 4121 |



## MATRIX D GRIP

**Features**

- Seamless nylon shell with PVC dot palm coating.
- Available in two colours: white and grey.

| Size | 7 | 8 | 9 | 10 | EN388 |
|---|---|---|---|---|---|
| White | 701-MAT | 702-MAT | 703-MAT | 704-MAT | 214X |
| Grey | 801-MAT | 802-MAT | 803-MAT | 804-MAT | 214X |



## MATRIX HI-VIZ

**Features**

- Seamless thermal high visibility liner.
- Crinkle latex coating.

| Size | 7 | 8 | 9 | 10 | EN388 |
|---|---|---|---|---|---|
| Code | 901-MAT | 902-MAT | 903-MAT | 904-MAT | 2241 |



## SWIFT HOUSEHOLD

**Features**

- Flock lined lightweight latex household glove.
- Available in two colours: yellow and blue.

| Size | 6-6.5 (S) | 7-7.5 (M) | 9-9.5 (L) | 10-10.5 (XL) |
|---|---|---|---|---|
| Blue | S404 | S405 | S406 | S407 |
| Yellow | S04 | S05 | S06 | S07 |

For Minimal Risks Only

## THERMATEX™

**Features**

- Terrycloth cotton fabric.
- Excellent insulation against heat.
- Good abrasion, cut and tear resistance.

| Code | Style | Sizes | EN388 | EN407 |
|---|---|---|---|---|
| CTH300/LDS | 34oz Heavyweight Knit Wrist Glove | Ladies | 1231 | 02XXXX |
| CTH300/MNS | 34oz Heavyweight Knit Wrist Glove | Men's | 1231 | 02XXXX |
| CTH303/MNS | 34oz Heavyweight 30cm Gauntlet inc. 11cm Canvas Cuff | Men's | 2341 | 02XXXX |
| CTH305/MNS | 32oz Heavyweight 32cm Gauntlet | Men's | 2341 | 02XXXX |
| CTH310/MNS | 34oz Heavyweight 40cm Gauntlet Terry loop in | Men's | 2341 | 02XXXX |



## WELDMASTER™

**Features**

- Premium quality chrome leather welding gauntlet.
- Welded seams protect against thermal and mechanical discharge.
- Thermal lining improves comfort and contact heat protection.
- Specifically designed for type A (Mig/Arc welding) and light mechanical handling.

| Size | LRG | EN388 | EN407 |
|---|---|---|---|
| Red Gauntlets | LW93/L | 3244 | 414344 |
| Green Gauntlets | LW132G/L | 3242 | 414244 |
| Length | 350mm (LW93/L) | 340mm(LW132G/L) | |




## TIGMASTER™

**Features**

- Sheepskin/leather welding gauntlet.
- Sheepskin palm (0.8mm) with heavy duty leather cuff (1mm).
- Specifically designed for type B (Tig welding) and light mechanical handling.

| Size | LRG | EN388 | EN407 |
|---|---|---|---|
| Code | LMW124/L | 3122 | 412X4X |
| Length | 355mm | | |







Thermit Grip Blue

## THERMIT™

### Features

- Provides insulation against cold.
- Seamless construction will not irritate hands - even during prolonged periods of wear.
- Thermal yarn provides a close fit and excellent dexterity.
- Available with a PVC dot coated palm for added grip.
- Can be worn as an insulating liner under other Polyco products.

CE For Minimal Risks Only

| Size | 7 | 9 |
|---|---|---|
| Thermit blue | 7800 | 7802 |
| Thermit grip blue | 7800GP | 7802GP |



## THERMAL DRIVERS GLOVE

### Features

- High grade cow grain leather offering superior durability.
- Excellent dexterity, rarely found with this weight of product.
- 3M Thinsulate™ lining offering the ultimate in cold protection.
- High quality Jerkin elastic allowing snugness of fit yet easy donning/doffing.

CE For Minimal Risks Only

(Thinsulate™ is a Du Pont registered trademark)

| Size | Medium | Large |
|---|---|---|
| Code | GL4910SP | GL4163SP |

## REFLEX T PLUS™

**Features**

- Para-aramid latex coated glove.
- Seamless knitted para-aramid lining provides protection from slashes, cuts and sharp objects.
- Crinkle latex coating provides high levels of grip and flexibility.
- Offers excellent tear and puncture resistance.




| Size | 8 | 9 | 10 | EN388 |
|---|---|---|---|---|
| Code | 8702T | 8703T | 8704T | 3444 |

## NEMESIS™

**Features**

- Leather glove with cut resistant seamless knitted shell.
- Tough and durable for many tasks.
- Knitted liner provides good level of cut resistance.
- The liner blend gives the wearer added comfort and absorbs perspiration.
- Provides excellent wet and dry grip.
- Offers excellent tear and puncture resistance.



| Size | 8 | 9 | 10 | 11 | 12 | EN388 |
|---|---|---|---|---|---|---|
| Code | 8971 | 8972 | 8973 | 8974 | 8975 | 4444 |



## PUMA™

CE 0120

Thickness: 0.52mm
(Single Wall measured at palm)

**Features**

- Mediumweight glove offering excellent strength whilst maintaining dexterity and flexibility.
- Anatomically shaped ensuring comfort and reducing hand fatigue.
- Slip resistant pattern on palm of glove ensuring good grip in both wet and dry conditions.

| Size | 6-6.5 | 8-8.5 | 9-9.5 | EN388 |
|---|---|---|---|---|
| Code | 240 | 250 | 260 | 1020 |
| Length | 31cm | 31cm | 31cm | |



## PURA™

CE 0088

Thickness: 0.50mm
(Single Wall measured at palm)

**Features**

- Premium hypoallergenic flock lined PVC glove.
- Anatomically shaped ensuring comfort and reduced hand fatigue.

| Size | 7 | 8 | 9 | 10 | EN388 |
|---|---|---|---|---|---|
| Blue | 474 | 475 | 476 | 477 | 3000 |
| Green | 374 | 375 | 376 | - | 3000 |
| Yellow | 274 | 275 | 276 | - | 3000 |
| Length | 31cm | 31cm | 31cm | 31cm | |



## NI-TONE™

CE 0334

Thickness: 0.55mm
(Single Wall measured at palm)

**Features**

- Nitrile/natural rubber mediumweight glove.
- Slip resistant pattern on palm ensures good grip in both wet and dry conditions.
- Extra length for added arm protection.

| Size | 6.5 | 7.5 | 8.5 | EN388 |
|---|---|---|---|---|
| Code | 5067 | 5068 | 5069 | 4110 |
| Length | 35.5cm | 35.5cm | 35.5cm | |



## MAXIMA™

CE 0120

Thickness: 0.65mm
(Single Wall measured at palm)

**Features**

- Heavy duty black rubber glove.
- Good abrasion and tear resistance.

| Size | 6-6.5/S | 7-7.5/M | 9-9.5/L | 10-10.5/XL | EN388 |
|---|---|---|---|---|---|
| Code | 514 | 515 | 516 | 517 | 2020 |
| Length | 30cm | 30cm | 30cm | 30cm | |

## ANTI-SYRINGE™

### Features

- Steel reinforced leather gauntlet.
- Designed to reduce the problems encountered when handling refuse which may contain hypodermic needles, broken glass or razor blades.
- Steel mesh intergrated into the palms and fingers to provide additional puncture resistance.

| Size | 8 | 9 | 10 | EN388 | | |
|---|---|---|---|---|---|---|
| Code | LS414/08 | LS414/09 | LS414/10 | Palm | Back | Cuff |
| Length | 350cm | 350cm | 350cm | 4544 | 3142 | 3142 |

### Area of Protection








## PVC OVERMITT™

**Features**

- For use with the Anti-Syringe gauntlet.
- Affords protection to the Anti-Syringe gauntlet in heavy duty or wet applications.
- Extends the life of the Anti-Syringe gauntlet.

CE For Minimal Risks Only

| Size | 12 |
|---|---|
| Code | P49/E12 |
| Length | 35.5cm |



## SHOCK PROTECTION GLOVE

**Features**

- Foam lined gauntlet.
- 2" Cuff and all chrome leather style.

CE For Minimal Risks Only

| Size | 12 |
|---|---|
| Code | LV268/MNS |

## INDIGO™

EN455 Medical Devices Class 1

Fit for special purpose



### Features

- Advanced nitrile technology provides an exceptionally soft and pliable material.
- No latex proteins - eliminates protein skin sensitisation.
- Ambidextrous - fits either hand.

| Size | 6.5 | 7.5 | 8.5 | 9.5 |
|---|---|---|---|---|
| Code | MFNP100/01 | MFNP100/02 | MFNP100/03 | MFNP100/04 |

## FINITE™

0088

Fit for special purpose



### Features

- Soft elastic nitrile material feels cooler and is comfortable and flexible to wear.
- No latex proteins - eliminates protein skin sensitisation.
- Excellent grip in both wet and dry conditions.

| Size | 6.5 | 7.5 | 8.5 | 9.5 | 10.5 |
|---|---|---|---|---|---|
| Finite | FP100/01 | FP100/02 | FP100/03 | FP100/04 | - |
| Finite PF | FN100/01 | FN100/02 | FN100/03 | FN100/04 | FN100/05 |

## NITRA FINE™

0088

Fit for special purpose



### Features

- Designed to be extra hard wearing - 50% stronger than standard nitrile gloves.
- Good protection against oil, acids and other chemicals.
- No latex proteins - eliminates protein skin sensitisation.

| Size | 6.5 | 7.5 | 8.5 | 9.5 |
|---|---|---|---|---|
| Code | NF100/01 | NF100/02 | NF100/03 | NF100/04 |

## FINITY™

EN455 Medical Devices Class 1

Except Fatty Foods

Fit for special purpose



### Features

- Stretch vinyl based synthetic polymer glove.
- Soft formulation provides comfort and is more flexible and dextrous to wear.
- Latex free - ideal for those who are sensitised to latex.

| Size | 5.5 | 6.5 | 7.5 | 8.5 | 9.5 |
|---|---|---|---|---|---|
| Finity | - | PFT100/01 | PFT100/02 | PFT100/03 | PFT100/04 |
| Finity PF | - | FT100/01 | FT100/02 | FT100/03 | FT100/04 |
| Finity PF30 | FT130/00 | FT130/01 | FT130/02 | FT130/03 | FT130/04 |



## FINESSE™

0088

Except Fatty Foods

Fit for special purpose

**Features**

- Powdered vinyl glove.
- Powdering on the inside of glove eases donning and absorbs perspiration.
- Feels like a second skin.

| Size | 6.5 | 7.5 | 8.5 | 9.5 |
|---|---|---|---|---|
| Finesse | VE100/01 | VE100/02 | VE100/03 | VE100/04 |
| Finesse Blue | VE100/01B | VE100/02B | VE100/03B | VE100/04B |



## FINESSE PF™

PF25 & PF30

0088

Except Fatty Foods

MPF25

EN455 Medical Devices Class1

Fit for special purpose

**Features**

- Powder free to minimise particulate contamination.
- Soft vinyl formulation provides great comfort and flexibilty.

| Size | 6.5 | 7.5 | 8.5 | 9.5 |
|---|---|---|---|---|
| Finesse PF 25cm | MPF25/01 | MPF25/02 | MPF25/03 | MPF25/04 |
| Finesse PF 25cm | PF25/01 | PF25/02 | PF25/03 | PF25/04 |
| Finesse PF 30cm | PF30/01 | PF30/02 | PF30/03 | PF30/04 |



## SWIFT VINYL

Except Fatty Foods

For Minimal Risks Only

**Features**

- Powdered vinyl glove.
- Available in two colours: clear and blue.

| Size | S | M | L | XL |
|---|---|---|---|---|
| Clear | SV100/01 | SV100/02 | SV100/03 | SV100/04 |
| Blue | SV100/01B | SV100/02B | SV100/03B | SV100/04B |



## FINEX™

0088

Fit for special purpose

**Feature**

- Finger hugging latex provides maximum dexterity, sensitivity and comfort.
- Powdering on inside of glove eases donning and absorbs perspiration.

| Size | 6.5 | 7.5 | 8.5 | 9.5 |
|---|---|---|---|---|
| Finex | LE100/01 | LE100/02 | LE100/03 | LE100/04 |
| Finex Blue | LB100/01 | LB100/02 | LB100/03 | LB100/04 |

## FINEX PF™

CE 0088

Fit for special purpose

### Features

- Powder free latex glove.
- Special processing reduces proteins and toxins which in some people can cause sensitisation and irritation.

| Size | 6.5 | 7.5 | 8.5 | 9.5 |
|---|---|---|---|---|
| Finex PF | LPF100/01 | LPF100/02 | LPF100/03 | LPF100/04 |



## FUSION™

CE For Minimal Risks Only

Thickness: 0.025mm
(Single Wall measured at palm)

### Features

- Polyamide melt resistant glove.
- The polyamide material can withstand temperatures of up to 200°C.
- The special design allows for easy donning and removal, but maintains an excellent level of dexterity.

| Size | Universal |
|---|---|
| Glove Mitt | FUS50/03 |
| Mitt | FUM50/03 |



## DIGIT™

CE For Minimal Risks Only

### Features

- Polythene powder free glove.
- Textured surface improves grip.

Fit for special purpose

| Size | 7 | 8 | 9 |
|---|---|---|---|
| Digit | PE100/01 | PE100/02 | PE100/03 |
| Digit Blue | PE100/01B | PE100/02B | PE100/03B |

Dimensions: 26" x 42"

| Size | Universal |
|---|---|
| Polythene Apron White | P/01 |
| Polythene Apron Blue | P/01B |
| Polythene Apron Clear | P/01C |



## GLOVE MATES™

CE For Minimal Risks Only

### Features

- Versatile ambidextrous glove liner made from 100% cotton.
- Provides protection against chaffing and dry skin commonly caused by perspiration.

| Size | One Size |
|---|---|
| Code | CK638 |





## SELECT LATEX

**Features**

- Natural rubber latex.
- Powdered glove with a rolled cuff.

| Size | S | M | L | XL |
|---|---|---|---|---|
| Code | SLS100/01 | SLS100/02 | SLS100/03 | SLS100/04 |

CE For Minimal Risks Only



## MATRIX VINYL

Except Fatty Foods

**Features**

- Powdered vinyl glove with a rolled cuff.
- Available in clear and blue.

| Size | S | M | L | XL |
|---|---|---|---|---|
| Clear | MVC100/01 | MVC100/02 | MVC100/03 | MVC100/04 |
| Blue | MVB100/01 | MVB100/02 | MVB100/03 | MVB100/04 |

CE For Minimal Risks Only



## MATRIX NITRILE

**Features**

- Powder free nitrile glove.
- Rolled cuff.

| Size | S | M | L | XL |
|---|---|---|---|---|
| Code | MN100/01 | MN100/02 | MN100/03 | MN100/04 |

CE For Minimal Risks Only

POLYCO

**United Kingdom**

BM Polyco Ltd
Crown Road, Enfield EN1 1TX, UK.
Tel: +44 (0)20 8443 9000
Fax: +44 (0)20 8443 9009
E-mail: sales@polyco.co.uk
Technical helpline: +44 (0)20 8443 9090
technical@polyco.co.uk
www.polyco.co.uk

**International**

BM Polyco Ltd
Crown Road, Enfield EN1 1TX, UK.
Tel: +44 (0)20 8443 9027
Fax: +44 (0)20 8443 9011
E-mail: export@bmpolyco.co.uk
Technical helpline: +44 (0)20 8443 9090
technical@polyco.co.uk
www.bmpolyco.co.uk

1118-I-MF/10.09/4,000

© BM Polyco Ltd, 2009