


2-Port DVI KVM Switch Kit

TK-222DVK (v1.0R)

- Control two computers with one set of console controls
- Designed for use with a DVI-D monitor
- Supports HD resolution above 1080p
- 2 bonus USB share ports for storage devices or printers
- All required cabling included
- No CD installation

The 2-Port DVI KVM Switch Kit, model TK-222DVK, allows you to control two computers with one set of console controls. No driver installation required, simply plug in the included cables to experience beyond HD resolution of 2560 x 1600 pixels. The TK-222DVK supports advanced keyboard and mouse designs and offers two bonus USB share ports to connect storage devices or printers.

Features

Computers
Control up to 2 computers

Computer Ports
Requires free USB and DVI ports from connected computer

HD+
Supports resolutions higher that 1080p HD (up to 2560 x 1600 pixels)

Housing
Rugged metal enclosure

2-Way Audio
Full audio support maximizes work station productivity

USB Share Ports
Two additional USB ports to connect storage drives and printers

Console Connectors
Emulation Technology supports most advanced keyboard and mouse designs

Cables Included
All required cables included

DVI-D Monitor
Designed to connect to a monitor's DVI port and supports a 60 Hz refresh rate


Hot Keys
Hot Key command shortcuts

Resolution Optimization
Adopts screen resolution from the connected device settings

Networking Solution



PC selector buttons



Console side

PC side

Specifications

Console Port on KVM

- Keyboard: USB
- Mouse: USB
- Monitor: DVI-I
- 2-port USB 2.0 hub
- Speaker jack: 3.5 mm
- Microphone jack: 3.5 mm

Computer Port on KVM (up to 2)

- Keyboard/mouse: USB 2.0 type B
- Monitor: DVI-I
- Speaker jack: 3.5 mm
- Microphone jack: 3.5 mm

Computer Connections (up to 2)

- Keyboard/mouse: USB 2.0 type A
- Monitor: Single Link/ Dual Link DVI-I/DVI-D
- Speaker jack: 3.5 mm
- Microphone jack: 3.5 mm

Monitor Resolution

- Digital: 2560 x 1600 @ 60 Hz
- Analog: 2048 x 1536 @ 60 Hz

Switching Control

- Face panel touch buttons
- Keyboard hot key commands

Switching Notification

- Audio

Scanning Interval

- 10 - 60 seconds (Hot key controls)

Special Features

- Supports Dual Link DVI-D monitor
- Advance mouse and keyboard support
- All time DDC emulation
- Two bonus USB ports
- Metal housing

Operating Temperature

- 0 – 40 °C (32 – 104 °F)

Operating Humidity

- Max 90 % non-condensing

Power

- Input: 100 - 240 V AC, 50/60 Hz, 0.4 A
- Output: 9 V DC, 1 A external power adapter
- Consumption: 0.7 Watts

Dimensions

- 164 x 90 x 45 mm (6.5 x 3.5 x 1.8 in.)

Weight

- 586 g (1.29 lbs.)

Warranty

- 2 year limited

Certifications

- CE
- FCC

Package contents

- TK-222DVK
- Quick Installation Guide
- Power adapter (9 V DC, 1 A)
- 2 sets of DVI-D KVM cables (1.8 m/6 ft.)
- 2 sets of USB 2.0 type A to B cables (1.8 m/6 ft.)
- 2 sets of audio cables (1.8 m/6 ft.)

20675 Manhattan Place • Torrance • CA 90501 • USA • T: 1- 888-326-6061 • F: 1-310-961-5511 • sales@trendnet.com • www.TRENDnet.com

TRENDnet is a registered trademark. Other Brands and product names are trademarks of their respective holders. Information provided in this document pertain to TRENDnet products and is subject to change at any time, without notice. For the most recent product information please visit http://www.trendnet.com Copyright © TRENDnet.All Rights Reserved

Updated: 11/25/13