DATASHEET



KA-0904

- 8-pole
- Pre-wired cable
- for SLC/SLG

Data

Ordering data

Product type description	KA-0904
Article number (order number)	101207728
EAN (European Article Number)	4030661639161
eCl@ss number, version 12.0	27-06-03-11
eCl@ss number, version 11.0	27-06-03-11
eCl@ss number, version 9.0	27-06-03-11
ETIM number, version 7.0	EC001855
ETIM number, version 6.0	EC001855

General data

Versions	straight
Connector (electric)	Female connector
Housing material	Plastic
Material of the nuts	Metal, CuZn, nickel-plated
Colour of the housing	Black
Gross weight	300 g

General data - Features

Number of poles	8

Number of cable wires	8

Mechanical data

Mechanical life, minimum	100 Cycles

Mechanical data - Connection technique

Length of cable	5 m
Termination	Screw terminals M20 x 1.5
Wire cross-section	0.25 mm^2
Material of the Cable mantle	PVC

Mechanical data - Dimensions

Diameter of the ISO-thread	M12

Ambient conditions

Degree of protection	IP67
Ambient temperature (Cable)	-40 ... +80 °C
Ambient temperature (Connector)	-30 ... +90 °C

Ambient conditions - Insulation values

Degree of pollution	3

Electrical data

Rated operating voltage	30 VDC
Contact load capacity	2
Material of the contacts, electrical	Metal, CuZn, gold-plated

Pin assignment

PIN 1	White
PIN 2	Brown
PIN 3	green
PIN 4	yellow
PIN 5	Grey
PIN 6	Pink
PIN 7	Blue
PIN 8	red


Pictures

Product picture (catalogue individual photo)



ID: k1208f01
| 90.2 kB | .jpg | 209.55 x 157.339 mm - 594 x 446 px - 72 dpi
| 22.7 kB | .png | 74.083 x 55.739 mm - 210 x 158 px - 72 dpi
| 31.9 kB | .jpg | 123.472 x 92.781 mm - 350 x 263 px - 72 dpi

Contact arrangement



ID: km23-k8a
| 18.0 kB | .cdr |
| 5.5 kB | .png | 73.731 x 79.728 mm - 209 x 226 px - 72 dpi
| 155.6 kB | .jpg | 352.778 x 380.647 mm - 1000 x 1079 px - 72 dpi

K.A. Schmersal GmbH & Co. KG, Möddinghofe 30, 42279 Wuppertal
The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.
Generated on: 26/12/2024, 04:51