Specifications

# Eaton 102446



## Catalog Number: 102446

Eaton xEnergy Basic LV systems Low voltage switchgear. Metal door, for HxW=2060x600mm, white

### General specifications

| | |
|---|---|
| **Product Name** | **Catalog Number** |
| Eaton xEnergy Basic door | 102446 |
| **EAN** | **Product Length/Depth** |
| 4015081023349 | 45 mm |
| **Product Height** | **Product Width** |
| 2010 mm | 615 mm |
| **Product Weight** | **Compliances** |
| 10.6 kg | RoHS conform |

Powering Business Worldwide

## Product specifications

### Used with

Accessory consideration
Floor-standing enclosure
Service distribution board IVS
Accessory

### Special features

Can be used as left door for two-leaf versions
Closed
Single wing door
Mounting from front, fast mounting, hinges on left or right possible
Door opening angle 167°
3-point turn lock with roller lever lock
Left door for two-section design with 1200 mm enclosure widths

### Type

Additional equipment for floor-standing service distribution board IVS

### Features

EMC-version

### Accessory/spare part type

Doors

### Surface finishing

Powder coating
With powder coating

### Color

White
Traffic white (RAL 9016)

### Degree of protection

IP30
NEMA Other

### Unit type

Modular system

### Suitable for height

2060 mm

## Resources

### Brochures

eaton-xenergy-basic-light-brochure-br014024-en-us.pdf

### Catalogs

eaton-distribution-boards-xenergy-basic-catalog-ca014010en-en-us.pdf

### Declarations of conformity

DA-DC-03_Z-DS

### Sales notes

eaton-f3a-flange-flyer-fl019005en-en-us.pdf

### Suitable for width

600 mm

### Cover/door type

Three-point turn-lock

### Material

Sheet steel

Steel

### Housing material

Sheet steel

### Model

Stop door

### Mounting method

Surface mounting

Flush mounting

Floor standing distribution board

### Functions

Floor-standing enclosure

Additional equipment

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia