Specifications

Eaton 194561



Catalog Number: 194561

Eaton xEnergy Safety Ci LV systems LV switchgear. KSK combination plug-in terminal, mounted on Ci support, PE (protective earth), 3x screw connection

General specifications

Product Name	**Catalog Number**
Eaton xEnergy Safety Ci MCB enclosure accessory	194561
	EAN
	9010238058637
Product Length/Depth	**Product Height**
30 mm	30 mm
Product Width	**Product Weight**
400 mm	0.216 kg
Compliances	
RoHS conform	

Powering Business Worldwide

Product specifications

Used with

TG43

TG44

Accessory consideration

xEnergy Safety Ci

Type

Additional equipment for xEnergy Safety Ci

Accessory/spare part type

Ci

Color

Green

Degree of protection

IP2X

Load capacity - max

0 kg

RAL-number

6002

Suitable for enclosure building height

375 mm

Suitable for enclosure building length/depth

150 mm

Suitable for enclosure building width

375 mm

Material

Other

Model

Mounting rail

Functions

Additional equipment

Resources

Brochures

eaton-xenergy-safety-ci-subway-line-success-story-en-us.pdf

eaton-xenergy-safety-ci-enclosure-brochure-br014001en-en-us.pdf

Catalogs

eaton-xenergy-ci-safety-catalog-ca015006en-en-us.pdf

Installation instructions

ma170928294.pdf

mCAD model

ksk_3pe_ci.stp

ksk_3pe_ci.dwg



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia