Product specifications

Eaton XTCE015B10T

Catalog Number: XTCE015B10T

Eaton XT IEC contactor, 15A, 24 Vac, 50-60 Hz, 1NO, 15A, Frame B, 45 mm, 50-60 Hz, 1, 2, 3/ 5, 5, 10, 10 hp (1/3PH @115, 200, 230/200, 230, 460, 575 V), Three-pole, Non-reversing, , Screw terminals, FVNR

General specifications

Product Name
Eaton XT IEC contactor

Catalog Number
XTCE015B10T

EAN
4015082900625

Product Length/Depth
4.92125984 in

Product Height
2.67716535 in

Product Width
1.77165354 in

Product Weight
0.5 lb

Compliances
CE Marked
RoHS Compliant

Certifications
UL Listed
CSA Certified
IEC 60947
EN 60947

Catalog Notes
Screw terminals (6-65A); 5 mm (80-150A); no lugs (185-2000A)

Product specifications

Frame size

45 mm

Contact configuration

1 NO

Coil voltage

24 Vac, 50-60 Hz

Series

XT IEC

Type

Full voltage non-reversing contactor

HP rating - max

1, 2, 3/ 5, 5, 10, 10 hp (1/3PH @115,200,230/200,230,460,575 V)

Continuous ampere rating

15 A

Frequency rating

50-60 Hz

Terminals

Screw terminals

Operation

Non-reversing

Amperage Rating

15A

Number Of Poles

Three-pole

Resources

Catalogs

Eaton's Volume 5—Motor Control and Protection

Drawings

XTCE_B 3D Model Xchange

XTCE_B AutoCAD 2D Footprint

XTCE_B 3D Inventor

XTCE_B 2D PDF

XTCE_B 2D Drawing Xchange

Specifications and datasheets

Eaton Specification Sheet - XTCE015B10T

Global Data Sheet - XTCE015B10T



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia