Specifications

Eaton 248445



Catalog Number: 248445

Eaton Distribution parts. Shunt release, 110-415V, 1.5HP

General specifications

Product Name
Eaton Distribution parts

Catalog Number
248445

EAN
4015082484453

Product Length/Depth
80 mm

Product Height
75 mm

Product Width
39.1 mm

Product Weight
0.157 kg

Compliances
RoHS conform

Certifications
EN45545-2
IEC 61373

Powering Business Worldwide

Product specifications

Used with

Shunt releases

Accessory

Accessory for residual current circuit breaker

Type

Accessory

Accessory for residual current circuit breaker

Application

Switchgear for industrial and advanced commercial applications

Accessory/spare part type

Shunt release

Mounting method

Can be mounted from left: Mountable residual current circuit breaker

Additional equipment required

Shunt release (for power circuit breaker)

Ambient operating temperature - max

40 °C

Ambient operating temperature - min

-5 °C

Assembly width

1.5 TE

Number of contacts (change-over contacts)

0

Number of contacts (normally closed contacts)

1

Number of contacts (normally open contacts)

1

Number of poles at main contact unit - max

1

Number of switches (fault signal)

0

Voltage type

AC/DC

Resources

Declarations of conformity

DA-DC-03_Z-BHASA

Drawings

eaton-dimensions-ma-lhasa.jpg

eaton-dimensions-mas-lhasa.eps

eCAD model

ETN.Z-BHASA_230.edz

Installation instructions

IL019164ZU

mCAD model

z_bhasa.dwg

z_bhasa.stp

Wiring diagrams

Z7_asa

Functions

Shunt release (for power circuit breaker)

Device fitting

Miniature circuit breaker (MCB)

Rated operational voltage (Ue) - max

230 V

Rated switch current

1.7 A

Suitable for current of main contact unit - max

3.4 A

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia