Specifications

Eaton 263110

Catalog Number: 263110

Eaton Distribution parts. Block busbar 3Ph.+N, for Z-SLS, PLHT D0.-SO/.., PLHT-V (1, 5space units)



General specifications

Product Name
Eaton Distribution parts

Catalog Number
263110

EAN
4015082631109

Product Length/Depth
429 mm

Product Height
38.4 mm

Product Width
25 mm

Product Weight
0.591 kg

Compliances
RoHS conform

Powering Business Worldwide

Product specifications

Features

Insulated

Can be cut to size

Electric connection type

Pin

Rated surge voltage

4 KV

Rated uninterrupted current (Iu)

110 A

Suitable for number of devices

0

Number of poles

Four-pole

Color

Other

Rated short-time withstand current (Icw)

0 kA

Cross section

35 mm²

Number of modular spacings

16

Number of phases

4

Pitch dimensions

0 mm

Rated operational voltage (Ue) - max

415 V

Rated conditional short-circuit current (Iq)

0 kA

Suitable for

4 devices

Resources

Declarations of conformity

DA-DC-03_Z-S

DA-DC-03_Z-SV

DA-DC-03_Z-S_SC_SB

Drawings

eaton-3d-drawing-versch-slv-vlv-1.jpg

eaton-dimensions-versch-z-sv-16-35.jpg

mCAD model

eaton-263110-3d-model.stp

eaton-263110-drawing.dwg



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia