Specifications

Eaton 215637



Catalog Number: 215637

Eaton Moeller series xPole - Busbar. Phase busbar, 1-phase, 10qmm, fork connector, 12SU

General specifications

Product Name
Eaton Moeller series busbar

Catalog Number
215637

EAN
4015082156374

Product Length/Depth
210 mm

Product Height
30 mm

Product Width
7 mm

Product Weight
0.051 kg

Compliances
RoHS conform

Certifications
CE

Powering Business Worldwide

Product specifications

Used with

EVG

Busbar

Type

Busbar

EVG

Features

Insulated

Accessory/spare part type

Busbar for combined residual current/power circuit breaker

Busbar for miniature circuit breaker

Busbar for residual current circuit breakers

Electric connection type

Fork

Rated surge voltage

4 KV

Rated uninterrupted current (Iu)

63 A

Suitable for number of devices

12

Number of poles

Single-pole

Color

Other

Rated short-time withstand current (Icw)

0 kA

Cross section

10 mm²

Number of modular spacings

12

Number of phases

1

Pitch dimensions

0 mm

Rated operational voltage (Ue) - max

500 V

Resources

Declarations of conformity

DA-DC-03_EVG

Drawings

eaton-busbar-3d-drawing.jpg

eaton-mcb-busbar-3d-drawing-003.eps

Specifications and datasheets

Eaton Specification Sheet - 215637

Rated conditional short-circuit current (Iq)

25 kA

Functions

Busbar

Suitable for

12 devices

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia