Specifications

Eaton 104556



Catalog Number: 104556

NZM3-XAD550. Busbar adapter, for NZM3, 550A, UL508

General specifications

Product Name
Eaton xEffect SASY 60i MCCB adapter

Catalog Number
104556

EAN
4015081043743

Product Length/Depth
272 mm

Product Height
35 mm

Product Width
140 mm

Product Weight
2.056 kg

Compliances
RoHS conform

Certifications
UL508
CSA-C22.2 No. 14
IEC 60439-1
CE marking

Powering Business Worldwide

Product specifications

Used with

NZM3, PN3, N(S)3

Type

60 mm system
Busbar adapters for NZM
Compact system

Adapter width

140 mm

Busbar distance

0 mm

Busbar thickness - max

10 mm

Busbar thickness - min

5 mm

Nominal current

550 A

Rail width

30 mm

Voltage rating at AC

690 V AC

Number of poles

Three-pole

Rated operational current for specified heat dissipation (In)

440 A

Equipment heat dissipation, current-dependent Pvid

23.9 W

Mounting rail armament

None

Rated operation current (Ie)

550 A

Resources

Brochures

eaton-xeffect-sasy60i-customer-success-story-css-wagner-mueller-en-us.pdf

Catalogs

eaton-xeffect-sasy-60i-fk4300-1167gb-en-us.pdf

Product Range Catalog Switching and protecting motors

Certification reports

eaton-xeffect-sasy-60i-declaration-of-conformity.pdf

Declarations of conformity

DA-DC-03_NZM3

Drawings

eaton-circuit-breaker-xeffect-sasy-busbar-adapter-dimensions-003.eps

eaton-circuit-breaker-xeffect-sasy-busbar-adapter-3d-drawing-003.eps



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia