Specifications

Eaton 303839



Catalog Number: 303839

IZM-OTS-1. Signalling switch tripped, 2 W

General specifications

Product Name	**Catalog Number**
Eaton IZM32/IN32 auxiliary contact block	303839
EAN	**Product Length/Depth**
9010238193284	203.2 mm
Product Height	**Product Width**
82.55 mm	146.05 mm
Product Weight	**Compliances**
0.215 kg	RoHS conform CE Marked

Powering Business Worldwide

Product specifications

Used with

IZM63…

IN63…

Special features

If ordered separately a secondary terminal unit IZM-SEC-... is necessary for connection. Order separately if required.

Electric connection type

Flat plug-in connection

Rated operational current (Ie) at AC-15, 220 V, 230 V, 240 V

10 A

Mounting Method

Other

Accessory/spare part type

Trip indication / Reset options

Number of contacts (change-over contacts)

2

Number of contacts (normally closed contacts)

0

Number of contacts (normally open contacts)

0

Number of switches (fault signal)

0

Model

Integrable

Lamp holder

None

Resources

Catalogs

eaton-air-circuit-breaker-izm32-in32-catalog-ca0135004en-en-us.pdf

Drawings

eaton-circuit-breaker-izmx-inx-auxiliary-switch-3d-drawing-008.eps

Installation instructions

IL0131173EN



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia