rotronic

Datenblatt - Fiche technique - Data sheet

11.04.5605



ROLINE DisplayPort Kabel, DP ST – ST, 5,0m

ROLINE Câble DisplayPort DP M – DP M, 5,0m

ROLINE DisplayPort Cable, DP M – DP M, 5 m

ROHS-COMPLIANT

LTR	REV.	DESCRIPTION	DATE



NOTE:

1.CABLE: UL-20276 [#30(7/0.1 T.C)×1P INS:FOAM-PE+D.W(7/0.1 T.C)+AL/MY +Hot-melt Mylar]×5C + #30(7/0.1 T.C)×4C INS:Polyethylene+AL/MY+ B.D(85%) PVC JACKET; OD:6.5±0.2mm COLOR:MATT BLACK(NK-K01) .

2.CONNECTOR:

P1 & P2: DISPLAYPORT 20P MALE W/PCB & LATCH CONTACT:15u"
SHELL:Ni-PLATED.

3.SHIELD:INNER MOLD MUST BE WRAPPED COPPER TO CONNECTOR SHELL & CABLE BRAID

4.HOOD:ASS'Y TYPE, PLASTIC HOOD COLOR:BLACK(NK-K01)

5.ELECTRICAL TEST:

(1)100% OPEN SHORT & MIS WIRE TEST.
(2)CONTACT RESISTANCE 3 ohm Max .
(3)INSULATION RESISTANCE 10M ohm Min .
(4)HI-POT DC300V

6.PACKING:EACH PC / POLY BAG + HEADER CARD + BAR CODE LABEL.

DWG	P/N	L(mm)	T(mm)	PCS/CTN	BAR CODE NO.
200-1161-3	11.04.5605	5000	50	10	7611990186280
200-1161-2	11.04.5603	3000	30	20	7611990186273
200-1161-1	11.04.5602	2000	30	20	7611990186266

Tolerance Inch M/M		
. X	.015	.30
. XX	.010	.10
. XXX	.005	.05

Draw FANNIE 01/14/09'

Chek

Engr

Rotronic co., LTD.

Title
DISPLAYPORT ASS'Y CABLE

Customer P/N

App'd

Customer: T-RAG

Scale NONE Units M/M Third Angle Projection

Dwg No. 200-1161

REV:A

Sheet. 1/2

LTR	REV.	DESCRIPTION	DATE

PIN OUT



Tolerance Inch	M/M
.X ±.015	±.30
.XX ±.010	±.10
.XXX ±.005	±.05

Draw: FANNIE 01/14/09'

Chek

Engr

Rotronic co., LTD.

Title: DISPLAYPORT ASS'Y CABLE

Customer P/N

App'd

Customer: T-RAG

Scale: NONE | Units: M/M | Third Angle Projection

Dwg No. 200-1161 | REV:A | Sheet 2/2

E009 V. 01