Rittal – The System.

Faster – better – everywhere.

# Protective bar for VX, TS, SE – TS 8801.010

Date : Apr 26, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# Protective bar for VX, TS, SE – TS 8801.010

created: 26.04.2021 build on www.rittal.com/uk-en



## Product description

| | |
|---|---|
| **Description:** | As an alternative to a door, e.g. in sealed switch rooms. Prevents people from falling into the open enclosure frame. Easily removable for maintenance purposes. |
| **Material:** | Wood, spray-finished |
| **Colour:** | RAL 3000 |
| **Note:** | Can be shortened for other dimensions (enclosure width - 110 mm) |

## Product description

| | |
|---|---|
| **To fit:** | Enclosure type: VX<br>Enclosure type: TS<br>Enclosure type: SE<br>Width: ≤ 1200 mm |
| **Dimensions:** | Length: 1090 mm |
| **Packs of:** | 1 pc(s). |
| **Weight/pack:** | 2.3 kg |
| **Copper weight (kg per piece):** | 0 |
| **EAN:** | 4028177516984 |
| **Customs tariff number:** | 94039090 |

© Rittal 2021

| | |
|---|---|
| **ETIM 7.0:** | EC002620 |
| **ETIM 6.0:** | EC002620 |
| **eCl@ss 8.0/8.1:** | 27189261 |
| **eCl@ss 6.0/6.1:** | 27189234 |
| **Product description:** | TS Protective bar, for TS, SE, can be shortened, for W: 1200 mm, L: 1090 mm |

## Approvals

| | |
|---|---|
| **Certificates:** | NA |

© Rittal 2021